



CLIMATE



# 2025 COOLING APPLIANCES



# CONTENTS

<u>P4</u>	FAN
<u>P9</u>	CIRCULATION FAN
<u>P14</u>	MIST FAN
<u>P15</u>	BLADELESS FAN
<u>P20</u>	TOWER FAN
<u>P24</u>	WATER TOWER FAN
<u>P26</u>	AIR COOLER
<u>P30</u>	METAL FAN
<u>P35</u>	AIR CONDITIONER



CB RoHS REACH





## About Us

Ningbo Climate Electric Appliance Co., Ltd. is located in Cixi city, the largest production base of small household appliances in China. As a top heating and cooling supplier in the Ningbo area, Ningbo Climate manufactures and exports all kinds of heaters and coolers to the world, especially Europe.

Climate treats and develops new value for customers as their own life. Not only products, but also services, solutions of purchasing, business models, even culture innovation. We focus on the DIY range, specializing in heating and cooling. We have over 20 years of experience in the home appliance industry, servicing over 120 customers from 30 countries. Our production process uses well-equipped facilities and an all-round quality control process, and our products are guaranteed by standard certificates of CE, GS, CB, ROHS, SAA, ETL for different markets. We attach great importance to the combination of healthy and environment-friendly product quality, perfect appearance performance and healthy lifestyle. Our products have excellent quality and competitive prices; they sell well all over the world.

FAN



### XJ-30-9SDC

- 12 inches
- Power: 25w
- 7 blades
- 30 speed settings
- 4 wind modes: Normal/natural/sleep/ECO
- 3D oscillation function
- LED display
- With timer
- Remote control
- Height adjustable
- 12 hours rechargeable battery(4500mAh)

Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
SJ-30-9SDC	25W	5.8/4.5	291x395x566	/	420	880	1035

FAN



### KYT-50B

- Size: 20 inches
- Power: 70W
- 5 blades
- 3 speed settings
- Oscillation function
- 120°adjustable up down tilt angel

### STF-20B

- Size: 8 inches
- Power: 35W
- 3 blades
- 3 speed settings
- Oscillation function
- 120°adjustable up down tilt angel

Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
KYT-50B	85W	3.4/4.05	590x153x595	/	500	1050	1260
STF-20B	35W	6.6/9.4	285x140x260	450x292x565	2328	4680	5320

## BFP-08

- 4000 mAh battery
- 5 blades
- 4 speed settings
- With LED light



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
BFP-08	/	0.86/0.68	195×195×115	/	6400	12800	15550

## XJ-25-1DCO

- Size: 10 inches
- Power: 10W
- 4 wind modes
- Oscillation function
- with TUYA bluetooth
- With remote control
- 16000 mAh battery
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
XJ-25-1DCO	10W	1.8/1.2	360×360×200	/	1080	2230	2620

## XJ-12-1T

- Size: 12 /16inches
- Power: 45W
- 3 blades
- 3 speed settings
- Oscillation function
- With carry handle



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
XJ-12-1T	45W	2.4/1.7	390×210×355	/	960	1990	2330
XJ-16-1T	45W	2.6/1.9	390×210×420	/	810	1680	1970

## XD-DF2301D

- Size: 8 inches
- DC 5V
- 2000 mAh battery
- 5 blades
- 3 speed settings
- With timer
- With carry handle
- Height adjustable



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
XD-DF2301D	60W	0.85/0.81	227×143×264	470×450×545	2856	6000	7008

## XJ-16-1F

- Size: 16 inches
- Power: 45W
- 3 blades
- 3 speed settings
- Oscillation function
- Height adjustable
- 3 speed settings
- With timer
- Remote control
- With carry handle
- Corss base or round base (for optional)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
XJ-16-1F	45W	2.8/2.4	460x120x430	/	1180	2460	2914

## XJ-30-11/XJ30-11DC

- Size: 12inches
  - Power: 50W
  - 10 blades
  - 3 speed settings
  - Oscillation function
  - Height adjustable
  - 2 in 1: table and stand type
- Only for J-30-11DC
- Power: 30W
  - DC motor, silence
  - 4 speed settings
  - With timer
  - Remote control



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
XJ-30-11/XJ30-11DC	50W/30W	3.4/2.7	185x365x450	/	920	1900	2230

## XJ-35-1SDC/XJ-35-9SDC

- 14 inches
- Power: 30W
- 7 blades
- 12 speed settings
- 4 wind modes: normal/natural/sleep/ECO
- Oscillation function
- LED display (with touch control panel)
- With timer
- Remote control
- Height adjustable



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
XJ-35-1SDC/XJ-35-9SDC	30W	4.6/3.4	780x185x400	780x185x400	490	1040	1180

## CFS-LD405/CFS-LD405R

- Size: 16 inches
- Power: 60W
- 7 blades
- 3 speed settings
- Oscillation function (Automatic horizontal and mechanical vertical swing)
- Mechanical buttons
- Height adjustable
- With timer
- Remote control
- LED display (with touch control panel)
- Touch switch & Remote control



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
CFS-LD405/CFS-LD405R	60W	5.5/4.1	455x235x495	455x235x495	540	1150	1300

## XJ-30-5DC/XJ-30-6DC/XJ-30-8DC

- 12 inches
- Power: 25W
- 7 blades
- 12 speed settings
- 4 wind modes: normal/natural/sleep/ECO
- Oscillation function
- LED display (with touch control panel)
- With timer
- Remote control



XJ-30-5DC

XJ-30-6DC

XJ-30-8DC

Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
XJ-30-5DC	25W	3.9/2.9	780x195x355	780x195x355	540	1120	1310
XJ-30-6DC	25W	3.9/2.9	780x195x355	780x195x355	540	1120	1310
XJ-30-8DC	25W	3.9/2.9	780x195x355	780x195x355	540	1120	1310

## XJ-30-8SDC-C

- 12 inches
- Power: 25W
- 7 blades
- With timer
- 12 speed settings
- Oscillation function
- Height adjustable
- Remote control
- LED display (with touch control panel)
- Cross base or round base (for optional)
- 5 wind modes: normal /air circulation /sleep /natural/ECO
- Battery capacity 4500mAh, 2-24hr (2h.high 24h.low), charging period 8h



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
XJ-30-8SDC-C	30W	4.6/3.4	780x185x400	780x185x400	490	1040	1180

FAN

## XJ-30-6SDC


- 12 inches
- Power: 25W
- 7 blades
- 12 speed settings
- 4 wind modes: normal/natural/sleep/ECO
- Oscillation function
- LED display (with touch control panel)
- With timer
- Remote control
- Height adjustable



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
XJ-30-6SDC	25W	5.2/4.0	810×190×360	810×190×360	510	1050	1230

## XJ-30-1DC/XJ-30-2DC/XJ-30-3DC


- 12 inches
- Power: 25W
- 7 blades
- 12 speed settings
- 4 wind modes: normal/natural/sleep/ECO
- Oscillation function
- LED display (with touch control panel)
- With timer
- Remote control
- Height adjustable
- 2 in 1: table and stand type



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
XJ-30-1DC	25W	5.0/3.7	490×345×405	490×345×405	410	880	1030
XJ-30-2DC	25W	5.0/3.7	490×345×405	490×345×405	410	880	1030
XJ-30-3DC	25W	5.0/3.7	490×345×405	490×345×405	410	880	1030

## XJ-35-1DC/XJ-35-2DC/XJ-35-3DC/ XJ-35-5DC/XJ-35-6DC/XJ-35-8DC

- 14 inches
- Power: 30W
- 7 blades
- 12 speed settings
- 4 wind modes: normal/natural/sleep/ECO
- Oscillation function
- LED display (with touch control panel)
- With timer
- Remote control
- Height adjustable



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
XJ-35-1DC	30W	4.6/3.4	780×185×400	780×185×400	490	1040	1180
XJ-35-2DC	30W	4.6/3.4	780×185×400	780×185×400	490	1040	1180
XJ-35-3DC	30W	4.6/3.4	780×185×400	780×185×400	490	1040	1180
XJ-35-5DC	30W	4.6/3.4	780×185×400	780×185×400	490	1040	1180
XJ-35-6DC	30W	4.6/3.4	780×185×400	780×185×400	490	1040	1180
XJ-35-8DC	30W	4.6/3.4	780×185×400	780×185×400	490	1040	1180



### FS-210L

- 12 inches
- Power: 30W
- 3 blades
- 24 speed settings
- 3 wind modes: normal/natural/sleep
- Oscillation function
- LED display
- With timer
- Remote control
- Height adjustable

Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
CF-210L	50W	3.74/2.7	310x310x1110	/	335	700	820

### CF-2201/CF-2201Y

- 8 inches
- Power: 50W
- 3 blades
- 3 speed settings
- Oscillation function  
Only for CF-2201Y
- 3 wind modes: normal/natural/sleep
- LED display
- With timer
- Remote control
- Wifi function for option



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
CF-2002/CF-2002Y	50W	3.7/2.9	430x350x325	/	560	1140	1370

## BL-XHS-1J/BL-XHS-1D

- 12 inches
- Power: 40W
- 3 blades
- 3 speed settings
- 3 wind modes: normal/natural/sleep
- Oscillation function

Only for BL-XHS-1D

- LED display
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
2.9/2.3	510x350x315	480	1010	1190



## BL-XHS-2J/BL-XHS-2D

- 12 inches
- Power: 40W
- 3 blades
- 3 speed settings
- 3 wind modes: normal/natural/sleep
- Oscillation function

Only for BL-XHS-2D

- LED display
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
2.9/2.3	510x355x315	475	1005	1180



## BL-XHS-3J/BL-XHS-3D

- 12 inches
- Power: 40W
- 3 blades
- 3 speed settings
- 3 wind modes: normal/natural/sleep
- Oscillation function

Only for BL-XHS-3D

- LED display
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
2.9/2.3	540x350x310	460	970	1140



## CF-2301B/CF-2301BY

- 10 inches
  - Power: 30W
  - 3 blades
  - 3 speed settings
  - Oscillation function
- Only for CF-2301BY
  - 3 wind modes: normal/natural/sleep
  - LED display
  - With timer
  - Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
3.3/2.4	550x340x240	600	1250	1500



## FS-209

- 10 inches
- Power: 40W
- 3 blades
- 3 speed settings
- Height adjustable
- Oscillation function

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
4.4/3.6	310x310x1050	480	1010	1190



CIRCULATION FAN

## FS-209L/FS-209L(01)

- 10 inches
  - Power: 40W
  - 3 blades
  - 3 speed settings
  - Height adjustable
  - Oscillation function
- LED display
  - With timer
  - Remote control
  - Only for FS-209L(01)
  - 3D Oscillation function

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
4.4/3.6	310x310x1050	480	1010	1190



## FD-201J/FD-201R

- 12 inches
- Power: 40W
- 3 blades
- 3 speed settings
- Oscillation function
- With carry handle
- Only for FD-201R
- LED display
- With timer
- Remote control



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
2.7/2.0	335×195×355	1207	2500	2931

## FXH1507J/FXH1507R/FXH1511DC

- 8 inches
- Power: 35W
- 3 blades
- 3 speed settings
- Oscillation function
- With carry handle
- Only for FXH1507R/FXH1511DC
- LED display
- With timer
- Remote control
- Only for FXH1511DC
- Power: 15W



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
2.0/1.5	265x255x325	1443	2990	3505

## FS-203/FS-203R/FS-203L

- 7 inches
- Power: 45W
- 3 blades
- 3 speed settings
- Oscillation function
- With carry handle
- Only for FS-203R
- With 7 hours timer
- Remote control
- Only for FS-203L
- With 8 hours timer
- LED display
- Remote control



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
10.8/8.4	325x445x660	1692	3756	4296

**KFX2406J/KFX2406D**

- 8 inches
- Power:35W
- 3 blades
- 3 speed settings
- Oscillation function  
Only for KFX2406D
- LED display
- With timer
- Remote control



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
1.85/1.45	245×201×326	1750	3620	4250

**PTC-3208L/PTC-3208E**

- 8 inches
- Power:35W
- 3 blades
- 3 speed settings
- Oscillation function  
Only for 3028L-E
- LED display
- With timer
- Remote control



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
2.0/1.4	370x270x250	/	2240	2720

**SAC-11/SAC-11E**

- 10 inches
- Power: 35W
- 3 blades
- 3 speed settings
- Oscillation function
- With carry handle  
Only for SAC-11E
- LED display
- With timer
- Remote control



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
3.6/4.2	275x265x425	757	1430	1727

## LB-FS06

- 16 inches
- Power: 75W
- 5 blades
- 3 speed settings
- 3 wind modes: normal/natural/sleep
- Oscillation function
- LED display (with touch control panel)
- With timer
- Remote control
- 2L water tank



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
LB-FS06	75W	8.8/7.6	600x268x440	405	830	985

## LB-FS09M/LB-FS09R

- 16 inches
- Power: 75W
- 3 blades
- 3 speed settings
- Oscillation function
- 2.8L water tank
- Only for LB-FS09R
- 3 wind modes: normal/natural/sleep
- LED display (with touch control panel)
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
8.0/7.0	600x230x435	480	1010	1160



## SKJ-CR051



- Power: 35W
- 9 speed settings
- 4 wind modes: natural/sleep/strong/auto
- Oscillation function
- LED display (with touch control panel)
- With timer
- Remote control
- Room temperature/humidity value display
- With air purifier
- WIFI for option



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
SKJ-CR051	35W	8.9/7.0	850x240x408	365	730	835

## SKJ-CR050

- Power: 35W
- 9 speed settings
- 4 wind modes: natural/sleep/strong/auto
- Oscillation function
- LED display (with touch control panel)
- With timer
- Remote control
- Room temperature/humidity value display
- With air purifier
- WIFI for option

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
8.6/6.7	590x340x415	360	740	820



BLADELESS FAN

### SKJ-CR070

- Power: 30W
- DC 24V,with Adapter
- 3 wind modes:Normal/natural/sleep
- LED display (with touch control panel)
- 3 wind modes:Normal/natural/sleep
- UV sterilication for option
- Tip-over switch
- WIFI function for option
- Ion generator for option
- HEPA filter for option
- Oscillation function
- Remote control
- With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
/	236×236×334	565x565x405	1040/2120/2220



### SKJ-CR018HM

- Power: 35W (cooling) /1400W (heating)
- 9 speed settings
- 2 wind modes: sleep/strong
- Oscillation function
- LED display (with touch control panel)
- With timer
- Remote control
- With humidifier
- 350ML water tank
- WIFI for option

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
5.5/3.8	285x285x920	400	880	910



More colors for option  
● Black

### SKJ-CR010C/SKJ-CR010CF

- Power: 26W
- 9 speed settings
- 2 wind modes: sleep/strong
- Oscillation function
- LED display (with touch control panel)
- With timer
- Remote control (top storage design for option)
- WIFI for option

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
4.4/2.6	275x275x1080	420	900	1050



More colors for option  
● Black

### SKJ-CR015C/SKJ-CR015CF

- Power: 26W
- 9 speed settings
- 2 wind modes: sleep/strong
- Oscillation function
- LED display (with touch control panel)
- With timer
- Remote control (top storage design)
- WIFI for option

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
4.4/2.6	275x275x1085	330	660	785



More colors for option  
○ White

## SKJ-CR100/SKJ-CR102

- Power: 22W
- 2600 mAh battery
- 4 speed settings
- Oscillation function
- With timer
- Remote control
- Horizontal/vertical from the base
- WIFI for option  
Only for SKJ-CR102
- With LED light



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
2.3/1.9	192x280x425	1520	3040	3600

## SKJ-CR060B

- Power: 6W
- 3 speed settings
- LED display (with touch control panel)

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
0.9/0.7	135x145x313	452x285x328	4236/8956/10368



## SKJ-CR021/SKJ-CR022

- Power: 35W
- 9 speed settings
- 2 wind modes: sleep/strong
- Oscillation function
- LED display (with touch control panel)
- With timer
- Remote control
- With air purifier
- WIFI for option

Model	G.W./N.W.(kg)	Gift box(mm)	PCS/20/40/40HQ
SKJ-CR021	4.4/2.8	260x285x653	600/1290/1435
SKJ-CR022	4.8/3.5	265x290x865	450/900/1055



BLADELESS  
FAN

## HFT-2201R

- Power: 60W
- 3 speed settings
- 3 wind modes
- Oscillation function
- LED display (with touch control panel)
- With timer
- Remote control
- With air purifier
- WIFI for option

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
3/2.6	/	315x210x615	680/1410/1720







### ATF-020/ATF-020L

- Power: 60w
- 36 inches height
- 3 speed settings
- With oscillation function
- Oscillation function
- Only for ATF-020L
- LED display (with touch control panel)
- Remote control
- With timer

Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
ATF-020(L)	60W	3.0/2.5	310×310×902	920	1930	2270

### ATF-020H/ATF-020HL

- 35 inches height
- Power: 60W
- Oscillation function
- With carry handle
- Only for ATF-016L
- LED display (with touch control panel)
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
3.9/3.2	310×310×1102	745	1565	1835



BLADELESS FAN

**FTS005/FTS005R**

- 13 inches height
- Power:30W
- 3 speed settings
- Oscillation function
- With carry handle
- Only for FTS005R3
- Wind modes: normal/natural/sleep
- LED display (with touch control panel)
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
1.5/1.2	120×120×370	5250	11000	12800

**FTS006/FTS006R**

- 13 inches height
- Power: 30W
- 3 speed settings
- Oscillation function
- With carry handle
- Only for FTS006R
- 3 wind modes: normal/natural/sleep
- LED display (with touch control panel)
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
1.5/1.2	120×120×370	5250	11000	12800

**ATF-016/ATF-016L**


- 31 inches height
- Power: 60W
- Oscillation function
- With carry handle
- Only for ATF-016L
- LED display (with touch control panel)
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
3.2/2.6	185×175×820	1015	2160	2530

**TF801/TF801T/TF801B**

- 31 inches height
- Power: 45W
- 3 speed settings
- Oscillation function
- With carry handle
- Only for TF801T
- 2 hours timer
- Only for TF801B
- 12 hours timer
- LED display (with touch control panel)
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
2.7/2.4	190×150×810	1200	2500	2900



## TF803/TF803T/TF803B

- 31 inches height
- Power: 45W
- 3 speed settings
- Oscillation function
- With carry handle  
Only for TF803T
- 2 hours timer  
Only for TF803B
- 7.5 hours timer
- LED display (with touch control panel)
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
3.0/2.8	185×190×815	950	2000	2300



## ATF-016H/ATF-016HL

- 35 inches height
- Power: 60W
- Oscillation function
- With carry handle
- Only for ATF-016L
- LED display (with touch control panel)
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
3.5/2.9	185×175×940	900	1920	2240



## ATF-021/ATF-021L

- 36 inches height
- Power: 60W
- 3 speed settings
- Oscillation function
- With timer  
Only for ATF-021L
- 3 wind modes: normal/natural/sleep
- LED display (with touch control panel)
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
/	330×330×950	/	/	/



TOWER FAN

## BL-FS8-J/BL-FS8-D

- 37 inches height
- Power: 50W
- 3 speed settings
- Oscillation function  
Only for BL-FS8-D
- 3 wind modes: normal/natural/sleep
- LED display (with touch control panel)
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
4.2/3.2	200×195×955	720	1530	1800



## BL-FS3-J/BL-FS3-D

- 37 inches height
- Power: 50W
- 3 speed settings
- Oscillation function  
Only for BL-FS3-D
- 3 wind modes: normal/natural/sleep
- LED display (with touch control panel)
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
4.2/3.2	200x195x955	720	1530	1800



## TF1001T/TF1001B

- 39 inches height
- Power: 45W
- 3 speed settings
- Oscillation function
- With fragrance diffuser
- With timer  
Only for TF1001B
- 3 wind modes: normal/natural/sleep
- LED display (with touch control panel)
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
5.15/4.2	200x200x1000	700	1450	1700



## BL-FS9-D/BL-FS9-J

- 40 inches height
- Power: 60W
- 3 speed settings
- Oscillation function
- With timer  
Only for BL-FS9-J
- 3 wind modes: normal/natural/sleep
- LED display (with touch control panel)
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
/	/	/	/	/



## TF1501T/TF1501B

- 41 inches height
- Power: 45W
- 3 speed settings
- Oscillation function
- With fragrance diffuser
- With timer  
Only for TF1501B
- 3 wind modes: normal/natural/sleep
- LED display (with touch control panel)
- Remote control


G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
5.35/4.4	320x320x1050	550	1150	1360



## RTS001J/RTS001R

- 42 inches height
- Power: 60W
- 3 speed settings
- Oscillation function
- Only for RTS001R
- 4 speed settings
- 3 wind modes: normal/natural/sleep
- LED display (with touch control panel)
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
4.6/3.5	195×195×1090	676	1401	1643



## ATF-021H/ATF-021HL

- 43.3 inches height
- Power: 60W
- 3 speed settings
- Oscillation function
- With timer
- Only for ATF-021HL
- 3 wind modes: normal/natural/sleep
- LED display (with touch control panel)
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
/	/	/	/	/



## BL-FS1-J/BL-FS1-D

- 47 inches height
- Power: 50W
- 3 speed settings
- Oscillation function
- Only for BL-FS1-D
- LED display (with touch control panel)
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
4.8/3.7	200x220x1230	450	945	1170



TOWER FAN

## BL-FS2-J/BL-FS2-D

- 47 inches height
- Power: 50W
- 3 speed settings
- Oscillation function
- Only for BL-FS2-D
- LED display (with touch control panel)
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
4.8/3.7	200x220x1230	450	945	1170





### ATF-018L (01)

- Power: 60w
- 38 inches height
- 3 speed settings
- 3 wind modes: Natural / Sleep / Normal
- Oscillation function
- LED display with touch control panel
- Remote control
- 3L water tank
- With timer

Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
ATF-018L	60W	5.4/4.5	215x230x1010	/	550	1150	1350

### ATF-015/ATF-015L

- 30 inches height
- Power: 70W
- 3 speed settings
- Oscillation function
- Water curtain system
- 3.5L water tank can be pulled out  
Only for ATF-015L
- 3 wind modes: normal/natural/sleep
- LED display (with touch control panel)
- With timer
- Remote control



Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
70W	5.3/4.0	330x270x807	/	375	790	930

### NDY-T3/NDY-DT3/NDY-DT3R

- 37 inches height
- Power: 50W
- 3 speed settings
- Oscillation function
- Water curtain system
- 2.5L water tank can be pulled out  
For NDY-DT3 & NDY-DT3R
- 3 wind modes: normal/natural/sleep
- LED indicator light (with touch control panel)
- With timer
- Remote control  
Only for NDY-DT3R
- With a humidification function



Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
50W	6.3/5.0	235×235×1090	/	450	960	1120

### ATF-018/ATF-018L

- 38 inches height
- Power: 60W
- 3 speed settings
- Oscillation function
- Water curtain system
- 3L water tank can be pulled out  
Only for ATF-018L
- 3 wind modes: normal/natural/sleep
- LED display (with touch control panel)
- With timer
- Remote control



Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
60W	5.4/4.5	215×230×1010	/	550	1150	1350

### ATF-019/ATF-019L

- 38 inches height
- Power: 60W
- 3 speed settings
- Oscillation function
- Water curtain system
- 3L water tank can be pulled out  
Only for ATF-019L
- 3 wind modes: normal/natural/sleep
- LED indicator light (with touch control panel)
- With timer
- Remote control



Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
60W	5.4/4.5	215×230×1010	/	550	1150	1350

WATER TOWER FAN

### KFC-826/KFC-826A

- Power: 65W
- 3 speed settings
- 5L water tank
- Swing function for wide range air flow
- Water tank can be pulled out completely for easy cleaning  
Only for KFC-826A
- Wind type: normal/natural/sleep
- Touch control panel (LED indicator light)
- With remote control
- With timer

Model	Power	G.W./N.W.(kg)	Product size(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
KFC-826/KFC-826A	65W	4.9/4	250x275x580	320/295/590	485	1025	1200

### FS-207L

- DC 5V
- Power: 10W
- 3 speed settings
- 12h timer
- LED display
- With humidifier function (Ultrasonic)
- Water tank: 150ml



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
0.95/0.85	90x190x205	395x395x435	3200/6560/7760

### LQ-AC01

- DC 5V
- Power: 5W
- 3 speed settings
- Water tank: 400ML
- 7 colors LED light
- Type-C connector



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
1.0/0.85	150x120x210	315x255x440	6200/12960/15360

### KLW-018A2

- DC 5V
- Power: 2.8W
- 3 speed settings
- Water tank: 375ML
- 7 colors LED light
- Type-C connector



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
0.85/0.7	153x153x160	325x325x340	6240/12880/14720

### VT-AC002

- Power: 3.5w
- Material:ABS+PC
- 5V, DC, USB
- 6 speed settings
- Night light: 7 colors
- Tank capacity: 400-450mL



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
1.1/0.9	170x170x175	525x355x370	4872/10080/11880

## LQ-AC02/LQ-AC02S

- Power: 80W
- 3 speed settings
- Swing function for wide range air flow
- 4L water tank
- Water tank can be pulled out completely for easy cleaning  
Only for LQ-AC02S
- Button control panel (LED indicator light)
- With remote control
- With timer



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
4.7/3.8	300x275x600	520	1090	1320

## LQ-AC07/LQ-AC07S

- Power: 80W
- 3 speed settings
- Swing function for wide range air flow
- 4L water tank
- Water tank can be pulled out completely for easy cleaning  
Only for LQ-AC07S
- Button control panel (LED indicator light)
- With remote control
- With timer



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
4.5/3.5	275x255x525	750	1550	1840

## KFC-817/KFC-817A

- Power: 65W
- 3 speed settings
- Swing function for wide range air flow
- 3.5L water tank
- Water tank can be pulled out completely for easy cleaning  
Only for KFC-817A
- Touch control panel (LED indicator light)
- Wind type: normal/natural/sleep
- With remote control
- With timer



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
5.0/4.0	325x295x625	450	950	1100

## KFC-821/KFC-821A

- Power: 65W
- 3 speed settings
- Water can be filled at the top panel
- Swing function for wide range air flow
- 5L water tank with ice crystal refrigeration for cooling  
Only for KFC-821A
- Wind type: normal/natural/sleep
- Touch control panel (LED display)
- With remote control
- With timer



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
4.2/3.2	310x310x620	455	955	1110

## KFC-825/KFC-825A

- Power: 65W
- 6L water tank
- 3 speed settings
- Swing function for wide range air flow
- Water tank can be pulled out completely for easy cleaning  
Only for KFC-825A
- Touch control panel (LED indicator light)
- With remote control
- With timer



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
6.6/5.5	305x645x760	300	630	750

## KFC-816(01)/KFC-816A(01)

- Power: 65W
- 6L water tank
- 3 speed settings
- Swing function for wide range air flow
- Water tank can be pulled out completely for easy cleaning  
Only for KFC-816A (01)
- Button control panel (LED indicator light)
- Wind type: normal/natural/leep
- With remote control
- With timer



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7.7/5.7	335x330x780	315	690	790

## KFC-816(02)/KFC-816A(02)

- Power: 65W
- 6L water tank
- 3 speed settings
- Swing function for wide range air flow
- Water tank can be pulled out completely for easy cleaning  
Only for KFC-816A (02)
- Button control panel (LED indicator light)
- Wind type:normal/natural/sleep
- With remote control
- With timer



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
6.8/5.7	335x330x800	305	645	760

## KFC-829/829A/829(01)/829A(01)

- Power: 65w
- 10L water tank
- 3 speed settings
- 3 wind modes:normal/natural/sleep  
Only for KFC-829A/829A(01)
- LED display (with touch control panel)
- With timer
- Remote control



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7.7/5.7	335x330x780	315	690	790

**KFC-828/KFC-828A**

- Power: 65w
- 10L water tank
- 3 speed settings
- 3 wind modes:normal/natural/sleep  
Only for KFC-825A
- LED display (with touch control panel)
- With timer
- Remote control



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
/	/	/	/	/

**ACF02A/ACF02AL**

- Power: 65W
- 10L water tank
- Manual control
- Hidden casters
- 3 speed settings
- Swing function for wide range air flow
- Water tank can be pulled out completely for easy cleaning
- Water tank can be removed for more loading quantities  
Only for ACF02AL
- Button control panel (LED indicator light)
- Wind type: normal/natural/sleep
- With remote control
- With timer



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
5.3/4.3	296x258x490	725	1525	1850

**ACF02B/ACF02BL**

- Power: 65W
- 10L water tank
- Manual control
- 3 speed settings
- Swing function for wide range air flow
- Water tank can be pulled out completely for easy cleaning
- Hidden casters
- Water tank can be removed for more loading quantities  
Only for ACF02BL
- Wind type: normal/natural/sleep
- Button control panel (LED indicator light)
- With remote control
- With timer



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
5.3/4.3	296x258x490	725	1525	1850

**BL-258DL(R)/BL-268DL(R)**

- Power: 110W
- 35L water tank
- 3 speed settings
- Swing function for wide range air flow
- Water tank can be pulled out completely for easy cleaning  
Only for BL-258DL(R)/BL-268DL(R)
- LED display (with touch control panel)
- With remote control
- With timer



G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
/	514x427x593	210	425	514

## FE-20MM

- 8 inches
- Power: 25W
- 2 speed settings
- With up down tilt angle
- Aluminum blade

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
3.4/2.6	345x145x355	1392	2886	3352



## FT-30MJ3

- 12 inches
- Power: 35W
- 3 speed settings
- With oscillation function
- Aluminum blade

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
3.9/3.2	365x365x295	672	1344	1536



## DFC-F14M

- 14 inches
- Power: 150W
- 3 speed settings
- Powder coated
- Air circulation
- Aluminum blade

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7.8/6.7	460x420x350	390	810	940



## DFC-V12

- 12 inches
- Power: 35W
- 3 speed settings
- With oscillation function
- Aluminum blade
- Powder coated / Chrome / Copper surface for option

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
3.7/3.1	350x220x350	1000	2115	2480



## FSW-45B1

- 18 inches
- Power: 65W
- 3 speed settings
- 4 aluminum blades
- Plastic base
- Height adjustable

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
8.2/7.3	640x165x515	504	1032	1200



## DFT-B series

- 16 / 18 / 20 inches for option
- 3 speed settings
- Aluminum blade
- Plastic round base
- Powder coated / Chrome surface for option

Size	Power	Gift box(mm)	G.W./N.W.(kg)	PCS/20/40/40HQ
16	90W	470x250x480	8.7/8.0	480/1010/1190
18	100W	510x250x520	9.4/8.6	410/860/1010
20	120W	550x250x560	10.4/9.6	350/740/870



## DFT-B-B series

- 16 / 18 inches for option
- 3 speed settings
- Aluminum blade
- With oscillation function (inside of grill)

Size	Power	Gift box(mm)	G.W./N.W.(kg)	PCS/20/40/40HQ
16	90W	510x310x510	9.2/8.2	335/710/835
18	100W	570x310x570	9.9/8.9	270/565/665



## DFT-K series

- 16inch/18inch/20inches for option
- 3 speed settings
- Aluminum blades
- Plastic round base

Size	Power	Gift box(mm)	G.W./N.W.(kg)	PCS/20/40/40HQ
16	80W	670x160x450	8.0/7.1	565/1180/1390
18	90W	710x160x510	8.4/7.5	470/990/1155
20	110W	760x160x560	9.2/8.1	400/840/985



## DFT-V16

- 16 inches
- Power: 50W
- 3 speed settings
- With oscillation function
- Aluminum blade
- Powder coated / Chrome / Copper surface for option

Power	Gift box(mm)	G.W./N.W.(kg)	PCS/20/40/40HQ
50W	465x160x580	7.2/6.3	630/1320/1560



## FE-40MJ3

- 16inches
- Power:50w
- 3 speed settings
- With oscillation function
- Metal round base
- Height adjustable function

Power	Gift box(mm)	G.W./N.W.(kg)	PCS/20/40/40HQ
50W	500x465x325	7.5/6.1	385/804/919



## FE-40MD

- 16inches
- Power:50w
- 3 speed settings
- Height adjustable function


Power	Gift box(mm)	G.W./N.W.(kg)	PCS/20/40/40HQ
50W	570x180x660	5.2/6.2	462/965/1103



## FE-30N/FE-35N/FE-40N

- 12inch/14inch/16inch
- Power:35/45/55W
- 5 iron blades
- 3 speed settings
- Adjustable up down tilt angle

Power	Gift box(mm)	G.W./N.W.(kg)	PCS/20/40/40HQ
35W	410x180x355	3.8/3.4	1092/2238/2548
45W	440x200x430	4.2/3.8	780/1585/1746
55W	510x200x490	6.9/5.8	572/1188/1357



## BFP-16/BFP-18

- 16 inches
- Power: 18W
- With handle design
- 10 speed settings (LED display the setting speed)
- Rechargeable, 5000 mAh Lithium-ion battery (BFP-16)
- Rechargeable, 10000 mAh Lithium-ion battery (BFP-18)
- 3 hours in high speed, 12 hours in low speed (BFP-16)
- 5 hours in high speed, 20 hours in low speed (BFP-18)
- 180 degree rotation to adjust wind direction
- Metal body
- Cordless use

Size	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
16	/	470x290x465	425	900	1060
18	/	540x290x535	325	680	800



## DFC-F12R

- 12 inches
- Power: 45W
- Metal body
- 3 speed settings
- Rechargeable, 15600 mAh Lithium-ion battery
- 4 hours in high speed, 15 hours in low speed
- 360 degree rotation to adjust wind direction
- With handle design
- Cordless use

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
3.4/2.6	450x220x400	680	1440	1690



## FD-1201D/FD-1201L

- 12 inches
- Power:12W 5V
- 3 blades
- Type-C charging
- 9 speed settings
- Power bank support
- 360 degree rotation to adjust wind direction
- With 12000mAh battery (only for FD-1201L)

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
3.2/2.5	400x365x195	950	2000	2350



## FD-1001D/FD-1001L

- 10 inches
- Power:12W 5V
- 3 blades
- LED light
- Type-C charging
- 9 speed settings
- Power bank support
- Embedded aromatherapy box
- 360 degree rotation to adjust wind direction
- With 12000mAh battery (only for FD-1001L)

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
3.2/2.5	400x365x195	950	2000	2350



## DFC-F-B series

- 16 / 18 inches for option
- 3 speed settings
- Aluminum blade
- Manual swing up and down
- With oscillation function (inside of grill)
- Powder coated / Chrome / Copper surface for option



Model	G.W./N.W.(kg)	Power	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
DFC-F-B16	4.2/3.4	90W	470×470×185	660	1395	1640
DFC-F-B18	5.6/4.7	110W	510×510×185	560	1185	1390

## DFC-F series

- 12 / 14 / 16 / 18 / 20 / 22 inches for option
- 3 speed settings
- Aluminum blade
- Manual swing up and down
- Powder coated / Chrome / Copper surface for option



Model	G.W./N.W.(kg)	Power	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
DFC-F12	3.3/2.7	40W	360×360×170	1125	2585	3040
DFC-F14	3.7/2.9	50W	420×430×180	830	1750	2060
DFC-F16	4.2/3.4	90W	470×470×185	660	1395	1640
DFC-F18	5.6/4.7	110W	510×510×185	560	1185	1390
DFC-F20	6.4/5.4	120W	550×550×190	470	990	1165
DFC-F22	7.2/6	130W	610×610×190	385	805	950

## YXT-K20/24/30/36

- Full copper motor
- Adjustable angle:130°
- Overheat protection
- With 3pcs metal blades
- Full metal casing
- With handle and Non-slip feet,more safe for using
- Free standing&portable type
- Low noise and high air quantity
- Knob control,adjustable 3 speed settings



Model	G.W./N.W.(kg)	Power	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
YXT-K20	10.0/9.0	120W	600×255×600	300	630	740
YXT-K24	12.0/11.0	180W	670×255×665	245	510	600
YXT-K30	14.0/13.0	240W	800×270×810	160	330	385
YXT-K36	16.5/14.0	360W	880×270×890	130	270	320

## FDP09-1091

- Input power:450W
- Cooling Capacity:3000BTU
- Cooling power:880W
- 2 fan speed settings
- 5 modes:fan/cooling/dehumidifying/auto/sleep
- Refrigerant:R290
- Air flow volume:150m<sup>3</sup>/h
- Dehumidifying capacity:7.2L/day
- With timer
- With remote control
- LED display (with touch control panel)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
FDP09-1091	450W	17.5/15.5	440x320x650	282	579	768

## FDP15-1066

- Input power:575W
- Cooling Capacity:5000BTU
- Cooling power:1500W
- 2 fan speed settings
- 5 modes:fan/cooling/dehumidifying/auto/sleep
- Refrigerant:R290
- Air flow volume:270m<sup>3</sup>/h
- Dehumidifying capacity:12L/day
- With timer
- With remote control
- LED display (with touch control panel)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
FDP15-1066	575W	21.0/19.0	372x372x850	180	384	570

## FDP20-2024

- Input power:750W
- Cooling Capacity:7000BTU
- Cooling power:2000W
- 2 fan speed settings
- 5 modes:fan/cooling/dehumidifying/auto/sleep
- Refrigerant:R290
- Air flow volume:270m<sup>3</sup>/h
- Dehumidifying capacity:19.2L/day
- With timer
- With remote control
- LED display (with touch control panel)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
FDP20-2024	750W	22.0/20.0	373x318x880	220	444	680

## FDP26-1160R5/FDP26-1161R5

- Input power:575W
- Cooling Capacity:9000BTU
- Cooling power:1500W
- 2 fan speed settings
- 5 modes:fan/cooling/dehumidifying/auto/sleep
- Refrigerant:R290
- Air flow volume:300m³/h
- Dehumidifying capacity:30L/day
- With timer
- With remote control
- LED display (with touch control panel)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
FDP26-1160R5/FDP26-1161R5	575W	24.0/22.0	382x410x880	382	410	880

## FDP26-1153R5

- Input power:575W
- Cooling Capacity:9000BTU
- Cooling power:1500W
- 2 fan speed settings
- 5 modes:fan/cooling/dehumidifying/auto/sleep
- Refrigerant:R290
- Air flow volume:370m³/h
- Dehumidifying capacity:30L/day
- With timer
- With remote control
- LED display (with touch control panel)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
FDP26-1153R5	575W	31.0/28.0	410x410x870	140	290	430

## FDP35-1250R5

- Input power:1300W
- Cooling Capacity:12000BTU
- Cooling power:3500W
- 2 fan speed settings
- 5 modes:fan/cooling/dehumidifying/auto/sleep
- Refrigerant:R290
- Air flow volume:430m³/h
- Dehumidifying capacity:40L/day
- With timer
- With remote control
- LED display (with touch control panel)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
FDP35-1250R5	1300W	32.5/29.5	435x435x1023	130	270	330



<https://www.nbclimate.com/>

## **Ningbo Climate Electric Appliance Co.,Ltd**

**Head Office:** Room <18-1>, 18th Floor, Jinshuai Mansion, Cixi City, Ningbo, China

Tel: +86-574-63032661

MOB: +86-18657487272

E-mail: Albert.Chen@nbclimate.com

P.C.: 315300