




# 2025

## HEATING

### APPLIANCES



# CONTENTS

<b><u>P4</u></b>	FAN HEATER
<b><u>P6</u></b>	PTC HEATER
<b><u>P25</u></b>	BATHROOM HEATER
<b><u>P29</u></b>	CONVECTOR HEATER
<b><u>P34</u></b>	PANEL HEATER
<b><u>P42</u></b>	OIL-FREE RADIATOR
<b><u>P43</u></b>	OIL-FILLED RADIATOR HEATER
<b><u>P51</u></b>	QUARTZ HEATER
<b><u>P53</u></b>	CARBON FIBER HEATER
<b><u>P54</u></b>	OUTDOOR HEATER
<b><u>P60</u></b>	INDUSTRIAL FAN HEATER
<b><u>P65</u></b>	FIREPLACE HEATER



## About Us

Ningbo Climate Electric Appliance Co., Ltd. is located in Cixi City, the largest production base of small household appliances in China. As a top heating and cooling supplier in the Ningbo area, Ningbo Climate manufactures and exports all kinds of heaters and coolers to the world, especially Europe.

Climate treats and develops new value for customers as their own life. Not only products, but also services, solutions of purchasing, business models, even culture innovation. We focus on the DIY range, specializing in heating and cooling. We have over 20 years of experience in the home appliance industry, servicing over 120 customers from 30 countries. Our production process has well-equipped facilities and an all-round quality control process, and our products are guaranteed by standard certificates of CE, GS, CB, ROHS, SAA, ETL for different markets. We attach great importance to the combination of healthy and environment-friendly product quality, perfect appearance performance and healthy lifestyle. Our products have excellent quality and competitive prices; they sell well all over the world.

## FH108A/FH108

- 2 heating power settings: 1000/2000W
- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- Power indicator light
- With carry handle
- Water proof: IP21
- Tip-over switch for optional
- Oscillation function (only for FH108)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
FH108	1000/2000W	1.45/1.3	233x125x292	390x243x594	2982	6072	7242
FH108A	1000/2000W	1.12/1.0	233x125x250	390x240x515	3492	6990	8334

## FH230/FH230T/FH230L/FH230W/FH230R

- 2 heating power settings: 1000/2000W
- LED display with touch control panel (FH230L/FH230W/FH230R)
- 4 speeds fan settings (FH230L/FH230W/FH230R)
- 2 speeds fan settings (FH230/FH230T/FH230A)
- Power indicator light (FH230/FH230T/FH230A)
- Oscillation function (Without Osc. FH230A)
- Remote Control for optional (FH230R)
- Tip over switch (FH230T/L/W/R)
- Adjustable thermostat
- With carry handle
- With WIFI control function (FH230W)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
FH230/230T/230A	1000/2000W	1.65/1.5	284x227x354	585x470x373	1012	2220	2612
FH230L/230W/230R	1000/2000W	1.65/1.5	284x227x354	585x470x373	1012	2220	2612

## FH-SH003

- 2 heating power settings: 1000/2000W
- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- Power indicator light
- Tip-over switch for optional



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
FH-SH003	1000/2000W	1.15/1.0	205x145x275	450x215x565	2850	6252	7350

## FH18

- 2 heating power settings: 1000/2000W
- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- Power indicator light
- Tip-over switch for optional



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
FH18	1000/2000W	1.05/0.9	197x140x263	430x140x263	3480	7200	8400

### HFN-2001/HFN-03

- 2 heating power settings: 1000/2000W
- Adjustable thermostat
- Overheating protection
- Tip-over switch
- Double thermal cut-out for optional



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HFN-2001/HFN-03	1000/2000W	1.05/0.85	220x135x265	450x280x540	3280	6800	8000

### HFN-2002/HFN-04

- 2 heating power settings: 1000/2000W
- Adjustable thermostat
- Overheating protection
- Tip-over switch
- Double thermal cut-out for optional



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HFN-2002/HFN-04	1000/2000W	1.1/0.9	230x140x270	570x235x550	3000	6280	7360

### XH-2000B/XH-2000BR

- 2 heating power settings: 1000/2000W
- Adjustable thermostat
- Overheating protection
- Only for XH-2000BR
- with touch control panel
- With remote control



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
XH-2000B/XH-2000BR	1000/2000W	1.2/1.0	285x140x275	/	2500	5050	6100

FAN HEATER

### HFN-2011/HFN-2011Y

- 2 heating power settings: 1000/2000W
- Thermal cut-out
- Adjustable thermostat
- Tip-over switch for optional
- Power indicator light
- Overheating protection
- Oscillation function for optional (only for HFN-2011Y)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HFN-2011	1000/2000W	1.2/1.0	220x175x275	550x235x575	2250	4650	5430
HFN-2011Y	1000/2000W	1.5/1.2	220x185x297	570x230x630	2100	4200	4920

### KPT-2000 3601L

- 2 heating power settings: 1000/2000W
- 360°heat acceleration
- Adjustable thermostat
- Overheating protection
- With timer
- Remote control
- LED display (with touch control panel)
- With WIFI control function



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
CLP-20A WIFI	1000/2000W	2.8/2.3	270x280x360	/	990	2100	2465

### KLW-007D(1)/KLW-007E1/KLW-029

- Plug heater
  - Power:400W
  - LED display
  - With timer
  - Frees up floor space
  - Overheating protection
  - Adjustable thermostat
  - Plug directly into wall,can be rotated 90 degrees and 180 degrees
- Only for KLW-029
- Power:500W
  - 7 color light
  - With remote control for optional



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
KLW-007D(1)	400W	0.5/0.4	125x95x172	600x265x365	11520	24000	28080
KLW-007E1	400W	0.5/0.4	118x90x182	560x250x385	12480	25920	30240
KLW-029	500W	0.5/0.4	108x100x185	525x220x575	10080	21000	24600

## FH-901E

- 2 heating power settings:500/1500W
- Overheating protection
- Adjustable thermostat
- Tip over switch
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
FH-901E	500/1500W	1.13/1	210x118x170	435x251x360	6056	12532	13992

## SH008

- Power:500W
- Overheating protection
- Adjustable thermostat
- Power indicator light
- Tip-over switch



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
SH008	500W	0.65/0.6	122x140x181	376x290x377	7860	16140	19320

## PTC-SH025

- 2 heating power settings: 750/1500W
- Turbine air duct & bladeless
- Easy clean and low Noise
- Overheating protection
- Tip-over protection
- Remote control
- LED display (with touch control panel)
- Oscillation function



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-SH025	750/1500W	3.1/2.9	220x220x395	460x460x410	1240	2850	3060

## FH-903

- 2 heating power settings:750/1500W
- Adjustable thermostat
- Overheating protection
- Power indicator light
- Tip-over switch



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HPC-D1507L-1	750/1500W	1.06/0.94	160x125x235	335x265x490	5480	11232	12656

### HPC-D1814YL/HPC-D1815YL

- 2 heating power settings:900/1800W
- Adjustable thermostat
- Oscillation function
- Overheating protection
- Tip-over switch
- Power indicator light
- LED display (with touch control panel)  
(only for HPC-1815YL)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HPC-D1814YL/HPC-D1815YL	900/1800W	1.15/1.03	170x155x228	360x330x475	3690	8160	9600

### HPC-D1501/HPC-D1501Y

- 2 heating power settings:750/1500W
- Adjustable thermostat
- Tip-over switch
- Overheating protection
- Oscillation function (Only HPC-D1501Y)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HPC-D1501	750/1500W	2.0/1.6	190x160x285	500x205x585	2790	5790	6780
HPC-D1501Y	750/1500W	2.2/1.8	190x160x300	500x205x615	2670	5520	6480

### HPC-D1502L/HPC-D1502YL

- 2 heating power settings:750/1500W
- Adjustable thermostat
- Tip-over switch
- Overheating protection
- Oscillation function (Only for HPC-D1502YL)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HPC-D1502L	750/1500W	1.46/1.23	190x160x242	500x205x500	3168	6894	7770
HPC-D1502YL	750/1500W	1.46/1.63	190x160x256	500x205x525	3168	6894	7770

### HPC-D1509YL/HPC-D1510YL

- 2 heating power settings:750/1500W
- LED display with touch control panel  
(only for HPC-D1510YL)
- With timer
- Oscillation function
- Adjustable thermostat
- Safety thermal fuse built in
- Overheating protection



More colors for option  
● Black

HPC-D1510YL



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HPC-D1509YL/HPC-D1510YL	750/1500W	1.65/1.5	165x155x308	345x325x635	3040	6400	7200

## HPC-D1507L-1/HPC-D1507L/ HPC-D1507YL

- 2 heating power settings:750/1500W
- Overheating protection
- Adjustable thermostat
- Tip-over switch
- Oscillating function (Only for HPC-D1507YL)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HPC-D1507L-1	750/1500W	1.0/0.8	180x100x225	525x195x470	5600	11900	14000
HPC-D1507L	750/1500W	1.0/0.8	180x100x225	525x195x470	5600	11900	14000
HPC-D1507YL	750/1500W	1.0/0.8	180x100x240	525x195x500	5200	10400	12400

## HPC-D1504YL-D/HPC-D1505YL-D

- 2 heating power settings:750/1500W
- Adjustable thermostat
- Overheating protection
- Tip-over switch for optional
- Oscillation function for optional  
Only for HPC-D1505YL-D
- LED display (with touch control panel)
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HPC-D1504YL-D HPC-D1505YL-D	750/1500W	1.6/1.46	185x175x268	525x200x555	2880	5490	6960

## HPC-D1511L/HPC-D1511YL

- 2 heating power settings:750/1500W
- Adjustable thermostat
- Overheating protection
- Tip-over switch
- Oscillating function (Only for HPC-D1511YL)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HPC-D1511L	750/1500W	0.93/0.84	160x130x235	670x170x490	5140	10550	11890
HPC-D1511YL	750/1500W	1.1/0.9	170x137x255	705x180x530	4100	8200	10000

## HPC-D1512L/HPC-D1512YL HPC-D1513L/HPC-D1513YL

- 2 heating power settings: 750/1500W
- Adjustable thermostat
- Overheat protection
- Tip-over switch
- Power indicator light
- With carry handle (Only for HPC-D1513L & HPC-D1513YL)
- Oscillation function (Only for HPC-D1512YL & HPC-D1513YL)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HPC-D1512L/HPC-D1512YL/ HPC-D1513L/HPC-D1513YL	750/1500W	1.4/1.2	165x155x258	345x325x535	3720	7720	9040

### PTC-907B

- 2 heating power settings:750/1500W
- Adjustable thermostat
- Overheating protection
- Oscillating function
- Tip-over switch
- LED display (with touch control panel)
- Remote control
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-907B	750/1500W	1.6/1.4	176x176x235	216x216x295	1786	3690	4338

### PTC-906B

- 2 heating power settings:750/1500W
- Adjustable thermostat
- Overheating protection
- Oscillating function
- Tip-over switch
- LED display (with touch control panel)
- Remote control
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-906B	750/1500W	1.8/1.5	170x130x252	210x170x282	2420	4998	5868

### PTC-SH009/PTC-SH009R

- 2 heating power settings:900/1500W
- Overheating protection
- Adjustable thermostat
- Power indicator light
- Tip-over switch
- Only for PTC-SH009R
- LED display (with touch control panel)
- Remote control
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-SH009	900/1500W	1.2/1.15	190x150x252	390x310x519	3520	7200	8600
PTC-SH009R	900/1500W	1.16/0.96	190x150x245	390x310x505	3600	7400	8840

### PTC-SH002

- 2 heating power settings: 750/1500W
- Power indicator light
- Adjustable thermostat
- Overheating protection
- Tip-over switch



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-SH002	750/1500W	1.3/1.1	188x142x240	386x294x495	4160	8640	10200

PTC HEATER

## PTC-SH022M/PTC-SH022R

- 2 heating power settings:900/1500W and normal fan
- Overheating protection
- Adjustable thermostat
- Power indicator light
- Tip over switch
- Only for PTC-SH022R
- LED display (with touch control panel)
- Remote control



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-SH022M	900/1500W	1.4/1.2	170x148x283	352x308x582	3480	7160	8520
PTC-SH022R	900/1500W	1.45/1.25	170x148x275	352x308x566	3560	7360	8800

## PTC-SH022AM/PTC-SH022AR

- 2 heating power settings:900/1500W and normal fan
- Overheating protection
- Adjustable thermostat
- Power indicator light
- Oscillating function
- Tip over switch
- Only for PTC-SH022AR
- LED display (with touch control panel)
- Remote control



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-SH022AM	900W/1500W	1.48/1.3	190x170x300	392x352x615	2560	5280	6320
PTC-SH022AR	900W/1500W	1.5/1.35	190x170x291	392x352x598	2600	5400	6480

## PTC-SH022AML/PTC-SH022ARL

- 2 heating power settings:900/1500W and normal fan
- Overheating protection
- Adjustable thermostat
- Power indicator light
- Oscillating function
- Tip over switch
- Only for PTC-SH022ARL
- LED display (with touch control panel)
- Remote control
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-SH022AML	900W/1500W	2.1/1.6	215x190x446	582x442x463	1320	2790	3300
PTC-SH022ARL	900W/1500W	2.2/1.65	215x190x439	582x442x456	1320	2790	3300

PTC  
HEATER

## PTC-SH023AR

- 2 heating power settings:900/1500W and normal fan
- Overheating protection
- Power indicator light
- Oscillating function
- Tip over switch
- LED display (with touch control panel)
- Remote control
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-SH023AR	900/1500W	2.4/1.8	223x198x443	459x409x460	1240	2580	3060

## PTC915-L/PTC915-H

- 2 heating power settings:  
750/1500W (PTC915-L)  
900/1800W (PTC915-H)
- Overheating protection
- Adjustable thermostat
- Power indicator light
- Tip over switch



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
PTC915-L	750/1500W	1.5/1.36	228x158x245	489x238x505	2700	5814	6840
PTC915-H	900/1800W	1.5/1.36	228x158x245	489x238x505	2700	5814	6840

## HPC-D1519YL

- 2 heating power settings:750/1500W
- Adjustable thermostat
- Overheating protection
- Tip-over switch for optional
- Oscillation function for optional  
Only for HPC-D1519YL
- LED display (with touch control panel)
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HPC-D1519YL	750/1500W	1.5/1.36	200x140x280	/	3500	7100	8400

## PTC924-L/PTC924L-L(IP21)

- 2 heating power settings: 750/1500W or 900/1800W
- Wide oscillation function
- Overheating protection
- Adjustable thermostat
- Power indicator light
- with carry handle
- Tip-over switch  
Only for PTC924L-L
- LED display (with touch control panel)
- Remote control
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
PTC924-L/PTC924L-L	750/1500W or 900/1800W	1.85/1.65	198x155x296	480x208x607	2574	5640	6630

## PTC-1709/PTC-1709Y

- 2 heating power settings:800/1500W
- Overheating protection
- Oscillating function
- With carry handle
- Tip-over switch  
Only for PTC-1709Y
- LED display (with touch control panel)
- 30s automatic delay shutdown
- Remote control
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
PTC-1709/PTC-1709Y	1500W	1.7/1.3	180x145x305	605x380x317	2840	6144	7240

## BL-228LNR/BL-228LNR-A

- 3 in 1: heater (2000W) / cooler (80W) / humidify
- 2 heating power settings:1000/2000W
- 3 fan speed settings
- With ice box
- With timer
- With humidifier (5L water tank)
- With touch control panel
- Remote control  
Only for BL-228LNR-A
- LED display (with touch control panel)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
BL-228LNR	2000W	6.7/5.6	332x305x680	/	490	890	980

## KPT-150 0592/KPT-150 0592L

- 2 heating power settings:1000/1500W
- Adjustable thermostat
- Overheating protection
- Oscillation function
- Tip-over switch  
Only for KPT-150 0592L
- LED display (with touch control panel)
- Remote control
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
KPT-150 0592/ KPT-150 0592L	800/1500W	1.5/1.3	155x155x305	480x325x325	3300	6750	7920

## YH680

- 2 heating power settings: 500/800W
- 3 mode settings: heater/fan/humidify
- Humidify function  
(5h persistent humidify/8h intermittent humidify)
- Overheating protection
- Adjustable thermostat
- Oscillation function
- Tip-over switch
- With handle



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
YH680	500/800W	1.24/1.1	158x151x272	330x320x560	3800	7840	9200

## NSKT-150E/NSKT-150ER

- 2 heating power settings: 750/1500W
- Overheating protection
- Oscillation function
- Tip-over switch  
Only for NSKT-150ER
- With ECO mode
- LED display
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
NSKT-150E/NSKT-150ER	750/1500W	2.1/1.9	240x140x300	260x150x315	/	/	4980

### KPT-2000 5184/KPT-2000 5184L /KPT-2000 5184L (01)

- 2 heating power settings:1100W/2200W
- With wheels for easy move
- Adjustable thermostat
- Overheating protection
- Tip-over switch
- Electronic thermostat (Only for KPT-2000 5184L)
- HEPA filter and active carbon for option
- LED display (with touch control panel)
- Humidify and flamboyance for option
- Digital thermostat control
- Remote control
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
KPT-2000 5184 series	1600/2200W	5.5/4.4	305x305x640	/	460	960	1130

### KPT-150 0596/KPT-150 0596YL/KPT-150 0596YL(01)

- 2 heating power settings:1400/2000W
- Adjustable thermostat
- Overheating protection
- Oscillating function
- Tip-over switch
- LED display (with touch control panel)
- Automatic turn off the screen
- Remote control
- With timer
- No display when power off (Only for KPT-150 0596YL(01)/KPT-150 0596YL)



KPT-150 0596L  
• No display when power off



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
KPT-2000 0596 series	1500W	1.6/1.4	205x175x295	635x365x310	2250	4764	5598

### KPT-2000 5186KPT-2000 5186L(01)/KPT-2000 5186L

- 2 heating power settings:1400/2000W
- Adjustable thermostat
- Overheating protection
- Oscillating function
- Tip-over switch
- LED display (with touch control panel)
- Automatic turn off the screen
- Remote control
- With timer
- No display when power off (Only for KPT-2000 5186L(01)/KPT-2000 5186L)



KPT-2000 5186L  
• No display when power off



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
KPT-2000 5186 series	2000W	2.0/1.7	180x160x445	/	2110	4450	5230

### KPT-2000 5196/KPT-2000 5196L(01)/KPT-2000 5196L

- power:2200W
- Adjustable thermostat
- Overheating protection
- Oscillating function
- Tip-over switch
- LED display (with touch control panel)
- Automatic turn off the screen
- Remote control
- With timer
- No display when power off (Only for KPT-2000 5196L(01)/KPT-2000 5196L)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
KPT-2000 5196 series	2200W	2.8/2.3	220x220x650	/	840	1760	2060

### KPT-2000 5178S/KPT-2000 5178SL

- 2 heating power settings:1000/2000W
  - Movable head up and down
  - Adjustable thermostat
  - Overheat protection
  - Oscillation function
  - Tip-over switch
- Only for KPT-2000 5178SL
  - LED display (with touch control panel)
  - Remote control
  - With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
3.0/2.2	245x245x550	505x255x565	742/1566/1840



### KPT-2000 5182/KPT-2000 5182L/KPT-2000 5185L

- 2 heating power settings:1400/2000W
  - Adjustable thermostat
  - Overheating protection
  - Oscillating function
  - Tip-over switch
- Only for KPT-2000 5182L/KPT-2000 5185L
  - LED display (with touch control panel)
  - Remote control
  - With timer

Model	G.W./N.W.(kg)	Gift box(mm)	Gift box(mm)	PCS/20/40/40HQ
KPT-2000 5182(L)	2.1/1.8	155x155x570	475x325x585	1800/3798/4470
KPT-2000 5185L	2.0/1.7	185x185x560	385x385x570	1280/2880/3120



### KPT-2000 5168/KPT-2000 5168L

- 2 heating power settings:1400/2000W
  - Adjustable thermostat
  - Overheating protection
  - Oscillating function
  - Tip-over switch
- Only for KPT-2000 5168L
  - LED display (with touch control panel)
  - Remote control
  - With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
1.6/1.4	210x170x540	435x355x560	1252/2672/3064



### KPT-2000 5169/KPT-2000 5169L

- 2 heating power settings:1400/2000W
  - Adjustable thermostat
  - Overheating protection
  - Oscillating function
  - Tip-over switch
- Only for KPT-2000 5169L
  - LED display (with touch control panel)
  - Remote control
  - With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
1.5/1.3	185x185x575	570x385x595	1242/2616/3060



### KPT-2000 5179/KPT-2000 5179L

- 2 heating power settings:1000/2000W
  - Adjustable thermostat
  - Oscillation function
  - Overheating protection
  - Tip-over switch
- Only for KPT-2000 5179L
- LED display (with touch control panel)
  - Remote control
  - With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.2/1.7	195x195x600	405x405x615	1080/2280/2680



### KPT-2000 5171L

- 2 heating power settings:1200/2200W
  - LED display (with touch control panel)
  - Fan/warm/hot wind for selection
  - With humidifier (1L water tank)
  - Adjustable thermostat
- Overheating protection
  - Oscillation function
  - Tip-over switch
  - Remote control
  - With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
4.3/3.3	780x200x265	/	650/1375/1620



### KPT-2000 5172(01)L/KPT-2000 5172(02)L

- 2 heating power settings:1200/2200W
  - LED display (with touch control panel)
  - Fan/warm/hot wind for selection
  - With humidifier (1L water tank)
  - Adjustable thermostat
- Overheating protection
  - Oscillation function
  - Tip-over switch
  - Remote control
  - With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
4.3/3.4	785x232x275	/	535/1200/1320



### HPC-F2011YL/HPC-F2012YL

- 2 heating power settings: 1000/2000W
  - Adjustable thermostat
  - Oscillation function
  - Overheat protection
  - Tip-over switch
  - With timer
  - Remote control
  - LED display (with touch control panel)
- Only for HPC-F2012YL

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.0/1.7	210x210x495	665x445x520	1050/2220/2610



### KPT-2000 5178/KPT-2000 5178L

- 2 heating power settings: 1100/2200W Only for KPT-2000 5178L
- Moveable head up and down
- Overheating protection
- Oscillation function
- Tip-over switch
- LED display (with touch control panel)
- Temperature setting touch function
- Remote control
- With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
3.6/3.2	250x250x780	/	548/1160/1364



head can up and down

### KPT-2000 5155/KPT-2000 5155L

- 2 heating powers:1000/2000W Only for HPC-2000 5155L
- Tip-over switch for optional
- Overheating protection
- Adjustable thermostat
- Oscillation function
- Remote control
- With timer
- LED display (with touch control panel)

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.1/1.9	180x180x445	425x335x470	1612/3360/3960



### BL-K15-J/BL-K15-D

- 2 heating power settings: 1300/2000W Only for BL-K15-D
- Adjustable thermostat
- Overheating Protection
- Tip-over switch
- Oscillating function
- With timer
- Remote control
- LED display (with touch control panel)

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
1.9/1.4	205x162x445	/	1900/4000/4372



PTC HEATER

### PTC-2280Y/PTC-2280WY

- 2 heating power settings: 1000/2000W
- LED display (with touch control panel)
- Adjustable thermostat
- Automatic delay shutdown
- Overheating protection
- With WIFI control function (Only for PTC-2280WY)
- Oscillating function
- With carry handle
- Tip-over switch
- Remote control
- With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
3.15/2.7	210x170x635	/	1160/2480/2900



## PTC-2018/PTC-2018Y/PTC-2018Y-21/PTC-2018Y-22

- 2 heating power settings: 1000/2000W
- Switch control (Only for PTC-2018)
- Overheating protection
- Oscillating function
- With carry handle
- Tip-over switch
- Only for PTC-2018Y/PTC-2018Y-21/PTC-2018Y-22
- LED display (with touch control panel)
- Temperature setting function
- Automatic delay shutdown
- Remote control
- With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
3.5/1.7	200x170x660	/	1200/2500/2880



## BL-K100-01D

- 2 heating power settings:1300/2000W
- LED display (with touch control panel)
- Adjustable thermostat
- Overheating protection
- Oscillation function
- With flame effect
- Tip-over switch
- Remote control
- With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
3.6/2.6	195x205x725	/	960/1900/2300



## HPC-F2013YL/HPC-F2014YL

- 2 heating power settings:1000/2000W
- LED display (with touch control panel)
- Adjustable thermostat
- Overheating protection
- Oscillation function
- With flame effect
- Tip-over switch
- Remote control
- With timer

Model	G.W./N.W.(kg)	Gift box(mm)	PCS/20/40/40HQ
HPC-F2013YL	3.8/3.2	915x375x430	875/1810/2125
HPC-F2014YL	3.3/2.8	185x190x815	950/2000/2300



## PTC-2071/PTC-2071L

- 2 heating power settings:1000/2000W
- Overheating protection
- Adjustable thermostat
- Oscillation function
- With flame effect
- Tip-over switch
- Only for PTC-2071L
- LED display (with touch control panel)
- Remote control
- With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
3.4/3.0	897x202x180	915x375x430	748/1548/1860



## PTC-2075L

- 2 heating power settings:1400/2000W
- LED display (with touch control panel)
- Adjustable thermostat
- Overheating protection
- Oscillation function
- With flame effect
- Tip-over switch
- Remote control
- With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
1.95/1.7	218x207x663	640x450x683	900/1800/2130



## PTC-2202LA

- 2 heating power settings:1500/2200W
- LED display (with touch control panel)
- Adjustable thermostat
- Overheating protection
- Oscillation function
- With flame effect
- Tip-over switch
- Remote control
- With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
3.2/2.8	790x250x310	810x525x330	398/826/968



## HPC-F2409YL

- 2 heating power settings:1750/2400W
- LED display (with touch control panel)
- Adjustable thermostat
- With child lock function
- Overheating protection
- Oscillation function
- With flame effect
- Tip-over switch
- Remote control
- With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
3.5/3.0	185x160x815	/	1154/2367/2385

PTC  
HEATER

## HPC-F2010YL

- 2 heating power settings:1000/2000W
- LED display (with touch control panel)
- Adjustable thermostat
- Overheating protection
- Oscillation function
- With flame effect
- Tip-over switch
- Remote control
- With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
3.6/3.1	185x185x890	/	942/1933/2179



**BPT-2000B 5601L**  
**BPT-2000B 5601LS**

- 2 heating power settings:1100/2000W
- LED display (with touch control panel)
- Adjustable thermostat
- Overheating protection
- Remote control
- With timer
- With swing louvers  
(Only for BPT-2000B 5601LS)



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
/	/	/	/

**BPT-2000B 5402L-ERP**

- 2 heating power settings:1000/2000W
- Fan/warm/hot wind for selection
- Overheating protection
- Adjustable thermostat
- With weekly timer and open window function
- With wide angle oscillating louvers
- Child Lock function
- Remote control
- LED display
- With timer



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.6/2.2	565x153x230	575x325x475	1240/2600/3040

**ZPT-2000B 5603L**

- 2 heating power settings:1200/2000W
- LED display (with touch control panel)
- Adjustable thermostat
- Overheating protection
- With timer
- Remote control
- Swing louvers for optional



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
/	/	/	/

**ZPT-2000B 5603L**

- 2 heating power settings:1000/2000W
- LED display (with touch control panel)
- Adjustable thermostat
- Overheating protection
- With timer
- Remote control
- Swing louvers for optional



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.65/2.35	590x140x225	605x295x470	1296/2736/3384

**ZPT-2000B 5008L-ERP**

- 2 heating power settings:1000/2000W
- With weekly timer and open window function
- LED display (with touch control panel)
- Fan/warm/hot wind for selection
- Adjustable thermostat
- Overheating protection
- Remote control
- With timer
- Child Lock function



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.8/2.4	530x153x230	540x325x475	1320/2760/3200

**BPT-2000B 5005L-ERP/  
BPT-2000B 5005BL-ERP**

- 2 heating power settings:1000/2000W
- With weekly timer and open window function
- Fan/warm/hot wind for selection
- With wide angle oscillating louvers (Only for BPT-2000B 5005BL-ERP)
- Adjustable thermostat
- Child Lock function
- Remote control
- Overheating protection
- LED display
- With timer



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.8/2.4	530x153x230	540x325x475	1320/2760/3200

**BPT-2000B 5004L-ERP/  
BPT-2000B 5004BL-ERP**

- 2 heating power settings:1000/2000W
- Fan/warm/hot wind for selection
- With wide angle oscillating louvers (Only for BPT-2000B 5004BL-ERP)
- With weekly timer and open window function
- Adjustable thermostat
- Child Lock function
- Remote control
- Overheating protection
- LED display
- With timer



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.8/2.4	530x153x230	540x325x475	1320/2760/3200

PTC  
HEATER**KPT-2000B 5213L**

- 2 heating power settings:1200/2200W
- Fan/warm/hot wind for selection
- With weekly timer and open window function
- LED display (with touch control panel)
- Overheating protection
- Remote control
- With timer



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.4/2.1	595x151x270	610x317x560	1284/2128/2380

## PTC-3028L-E

- 2 heat settings:1000/2000W
- PTC Ceramic heating element
- Safety thermal cut-out
- Adjustable thermostat control
- 8 hours timer
- Weekly timer
- Manual and remote control
- LED display
- Oscillating louvers



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
5.4/4.0	550x150x213	565x313x223	1410/2880/3440

## KPT-2000B-4510L

- 2 heating power settings:1000/2000W
- LED display (with touch control panel)
- Adjustable thermostat
- Overheating protection
- With timer
- Remote control
- Swing louvers for optional



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.65/2.35	510x135x205	520x420x425	1728/3648/4296

## KPT-2000B 4508L

- 2 heating power settings:1000/2000W
- Fan/warm/hot wind for selection
- Overheating protection
- Adjustable thermostat
- With weekly timer and open window function
- LED display (with touch control panel)
- Remote control
- With timer



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.4/2.2	475x175x222	495x365x460	1300/2800/3200

## KPT-2000B 4507L

- 2 heating power settings:1000/2000W
- Fan/warm/hot wind for selection
- With weekly timer and open window function
- LED display (with touch control panel)
- Adjustable thermostat
- Overheating protection
- Remote control
- With timer



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.0/1.7	485x151x267	495x312x550	1228/2576/2912

**ZPT-2000B 5007L-ERP**

- 2 heating power settings:1000/2000W
- With weekly timer and open window function
- LED display (with touch control panel)
- Fan/warm/hot wind for selection
- Overheating protection
- Adjustable thermostat
- Remote control
- With timer
- Child Lock function



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.0/1.8	525x155x235	540x325x485	11424/2848/3220

**ZPT-2000B 5409BL-ERP**

- 2 heating power settings:1000/2000W
- With weekly timer and open window function
- LED display (with touch control panel)
- With wide angle oscillating louvers
- Fan/warm/hot wind for selection
- Overheating protection
- Adjustable thermostat
- Remote control
- With timer
- Glass surface
- Child Lock function



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.8/2.4	565x153x230	575x325x475	1240/2600/3040

**BPT-2000B 5408L-ERP/BPT-2000B 5408BL-ERP**

- 2 heating power settings:1000/2000W
- With weekly timer and open window function
- Fan/warm/hot wind for selection
- Child Lock function
- Adjustable thermostat
- Overheating protection
- Remote control
- LED display
- With timer
- Only for BPT-2000B 5408BL-ERP
- With wide angle oscillating louvers



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.56/2.36	565x153x230	580x495x435	1300/2880/3162

PTC  
HEATER**BPT-2000B 5406L-ERP**

- 2 heating power settings:1000/2000W
- With wide angle oscillating louvers
- Fan/warm/hot wind for selection
- Overheating protection
- Remote control
- Adjustable thermostat
- With weekly timer and open window function
- Child Lock function
- Glass surface
- LED display
- With timer



G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
3.4/3.0	565x153x230	575x325x475	1240/2600/3040

## SKJ-CR026H

- Power: 35W (cooling) /2000W (heating)
- 9 speed settings (cooling)
- 4 speed settings (heating)
- Oscillation function
- LED display (with touch control panel)
- With timer
- Remote control
- With air purifier
- WIFI for option

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
6.5/4.7	300×310×770	400	800	935



## SKJ-CR070H/SKJ-CR070HM

- Power: 30W (cooling) /1600W (heating)
- 3 wind modes: Normal/natural/sleep
- LED display (with touch control panel)
- With humidifier (only for SKJ-CR070HM)
- Overheating protection
- Adjustable thermostat
- 9 speed settings
- Tip-over switch
- UV sterilization for option
- WIFI function for option
- Ion generator for option
- HEPA filter for option
- Oscillation function
- Remote control
- With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
/	236×236×334	565×565×405	1040/2120/2220



## PTC-2522YS

- 2 heating power settings: 1000/2000W
- Overheating protection
- Temperature setting function
- LED display (with touch control panel)
- Oscillation function
- Remote control
- Tip-over switch
- With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
/	245×255×975	/	460/950/1120



## NDY-FH211/NDY-FH211R

- 2 heating power settings: 1000/2000W
- Adjustable thermostat
- Overheating protection
- Tip-over switch
- Oscillation function
- Only for NDY-FH211R
- LED display (with touch control panel)
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
5.0/4.0	275×280×855	400	840	992





### HBH-2007

- 2 heating power settings:1000/2000W
- Overheating protection
- Adjustable thermostat
- LED display (with touch control panel)
- Remote control
- With timer
- With weekly timer and open window function
- With towel rack
- IP22

Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HBH-2007	1000/2000W	2.1/1.7	300x135x333	425x310x690	1770	3750	4410

### HBH-2007B

- 2 heating power settings:1000/2000W
- LED display (with touch control panel)
- Adjustable thermostat
- Overheating protection
- Towel rack for optional
- Safety fuse inside
- Remote control
- With timer
- IP23



BATHROOM  
HEATER

Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HBH-2007B	1000/2000W	2.8/2.5	280x190x365	590x575x375	1290	2730	3180

## HBH-2005B

- 2 heating power settings:1000/2000W
- With weekly timer and open window function
- LED display (with touch control panel)
- Adjustable thermostat
- With child lock function
- Overheating protection
- Remote control
- With timer
- IP23



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HBH-2005B	1000/2000W	2.5/2.1	275x145x425	570x460x445	1410	2940	3450

## TG200-IP3L

- 2 heating power settings:1000/2000W
- With weekly timer and open window function
- LED display (with touch control panel)
- Adjustable thermostat
- Overheating protection
- Remote control
- With timer
- IP22



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
TG200-IP3L	1000/2000W	2/1.7	295x190x316	605x585x335	1410	2844	3402

## TG200-IP6L

- 2 heating power settings:1000/2000W
- With weekly timer and open window function
- LED display (with touch control panel)
- Adjustable thermostat
- Overheating protection
- Remote control
- With towel rack
- With timer
- IP22



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
TG200-IP6L	1000/2000W	2.5/2.1	350x165x340	675x365x360	1220	2580	3020

## TG200-IP7L


- 2 heating power settings:1000/2000W
- With weekly timer and open window function
- LED display (with touch control panel)
- Adjustable thermostat
- Overheating protection
- Remote control
- With timer
- IP22



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
TG200-IP7L	1000/2000W	3/2.25	302x182x402	620x560x420	1140	2280	2700

### TM-E09

- Power: 200W
- LED display (with touch control panel)
- temperature setting:30-65 C
- Free standing
- Material: Aluminum
- With timer
- IP44



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
TM-E09	200W	/	850x100x550	870x200x570	550	1120	1360

### TD-E09

- Power: 200W
- LED display (with touch control panel)
- temperature setting:30-65 C
- Free standing
- Material: Aluminum
- With timer
- IP44



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
TD-E09	200W	/	850x100x550	870x200x570	550	1120	1360

### TM-E15

- Power: 350W
- LED display (with touch control panel)
- temperature setting:30-65 C
- Free standing
- Material: Aluminum
- With timer
- IP44



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
TM-E15	350W	/	1250x100x550	1270x200x570	380	770	940

### TD-E15

- Power: 350W
- LED display (with touch control panel)
- temperature setting:30-65 C
- Free standing
- Material: Aluminum
- With timer
- IP44



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
TD-E15	350W	/	1250x100x550	1270x200x570	380	770	940

BATHROOM HEATER

### BK-702

- Power: 200W
- With 2 layers towel rack
- Free standing
- Material: Aluminum
- Switch on/off
- With cover for option
- IP22



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
BK-702	200W	-/4.2	735x92x1100	/	380	780	830

### BK-703

- Power: 300W
- With 3 layers towel rack
- Free standing
- Material: Aluminum
- Switch on/off
- With cover for option
- IP22



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
BK-703	300W	-/4.2	735x92x1450	/	300	600	670

### BK-701-Y

- Power: 220W
- Free standing
- Material: Aluminum
- Switch on/off
- With cover for option
- IP22



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
BK-701-Y	220W	4.15/3.35	535x70x1125	1145x360x545	660	1290	1500

### TH02/TH03

- Power:100W (TH02)
- Power:150W (TH03)
- With 6 pcs heating bars (TH02)
- With 10 pcs heating bars (TH03)
- Switch on/off
- Free standing and wall mounted (for optional)
- Material:Aluminum
- IP24



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
TH02	100W	2.8/2.5	510x45x860	875x245x525	1190	2530	2980
TH03	150W	3.5/2.95	540x45x930	945x250x565	1040	2150	2520

### HTJ-2205J/HTJ-2205R

- 2 heating power settings:1000/2000W
- Overheating protection
- Adjustable thermostat
- Tip-over switch
- Only for HTJ-2205R
- With timer
- LED display (with touch control panel)
- Remote control



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HTJ-2205J/HTJ-2205R	1000/2000W	4.8/4.0	1035x175x300	/	510	1050	1250

### HTJ-2223J/HTJ-2223R

- 2 heating power settings:1000/2000W
- Overheating protection
- Adjustable thermostat
- Tip-over switch
- With flame effect
- Only for HTJ-2205R
- With timer
- LED display (with touch control panel)
- Remote control



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HTJ-2223J/HTJ-2223R	1000/2000W	8.5/7.0	1210x190x285	/	425	885	1035

### HD20-K2/HD20-R51

- 2 heating power settings:1000/2000W
- Overheating protection
- Adjustable thermostat
- Tip-over switch
- With carry handle
- Only for HD20-R51
- With timer
- LED display (with touch control panel)
- Remote control



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HD20-K2	1000/2000W	4.4/3.5	910x185x305	/	500	1100	1300
HD20-R51	1000/2000W	5.5/4.1	1010x185x305	/	550	1220	1440

### VXTJ07-Y

- 2 heating power settings:1100/2200W
- Adjustable thermostat
- Overheating protection
- LED display (with touch control panel)
- With humidity function and led light
- With carry handle
- Remote control
- Tip-over switch
- With child lock
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
VXTJ07-Y	1100/2200W	9.8/8.0	1160x210x320	/	720	720	850

CONVECTOR HEATER

### SY-A15R/SY-A20R

- 2 heating power settings:  
750/1500W (SY-A15R)  
1000/2000W (SY-A20R)
- Overheating protection
- Tip-over switch
- With castors
- Temperature setting function
- LED display (with touch control panel)
- Remote control
- With timer
- With carry handle
- With WIFI control function for option



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
SY-A15R	750/1500W	5.0/4.1	660x130x620	580	1150	1300
SY-A20R	1000/2000W	5.9/4.6	760x130x620	490	980	1100

### SY-A15/SY-A20

- 2 heating power settings:  
750/1500W (SY-A15)  
1000/2000W (SY-A20)
- Overheating protection
- Adjustable thermostat
- Tip-over switch
- With castors
- With carry handle



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
SY-A15	750/1500W	5.0/4.1	660x130x620	580	1150	1300
SY-A20	1000/2000W	5.9/4.6	760x130x620	490	980	1100

### HY-200B/HY-200BR

- 2 heating power settings: 1000/2000W
- Overheating protection
- Adjustable thermostat
- Tip-over switch
- With castors
- With cord storage  
Only for HY-200BR
- Temperature setting function
- LED display (with touch control panel)
- Remote control
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
HY-200B/HY-200BR	1000/2000W	5.5/4.5	590x125x655	520	1180	1380

### HY-200C/HY-200CR

- 2 heating power settings: 1000/2000W
- Overheating protection
- Adjustable thermostat
- Tip-over switch
- With castors  
Only for HY-200CR
- LED display (with touch control panel)
- Temperature setting function
- Remote control
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
HY-200C	1000/2000W	5.5/4.5	825x135x535	500	1000	1190
HY-200CR	1000/2000W	6.7/5.5	825x135x535	500	1000	1190

## DLS

- Power: 450-500W
- Power indicator light
- Adjustable thermostat
- Free standing
- Overheating protection
- With carry handle
- Anti-frost function for optional



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
DLS	450W	1.1/0.9	290x120x260	375x305x540	2720	5520	6510

## RY001/RY001F

- 2 heating power settings: 750/1250/2000W
- Adjustable thermostat
- Overheating protection
- With carry handle
- Power indicator light
- With fan turbo (Only for RY001F)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
RY001/RY001F	750/1250/2000W	3.0/2.4	575x133x395	890	1880	2210

## RY001(01)/RY001(02)

- 2 heating power settings: 750/1250/2000W
- Adjustable thermostat
- Overheating protection
- With carry handle
- Power indicator light
- Fan turbo for option



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
RY001/RY001F	750/1250/2000W	3.0/2.4	575x133x395	890	1880	2210

## HCV-2015

- 3 heating power settings: 750/1250/2000W
- Adjustable thermostat
- Overheating protection
- Free standing
- With fan turbo for option
- With timer for option



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
HCV-2015	750/1250/2000W	4.0/3.2	625x140x440	720	500	1750

CONVECTOR HEATER

### HCV-DL06

- 3 heating power settings: 750/1250/2000W
- Adjustable thermostat
- Overheating protection
- Free standing
- With fan turbo for option
- With timer for option



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
HCV-DL06	750/1250/2000W	2.9/2.4	665x122x370	930	1930	2260

### HCV-DL07

- 3 heating power settings:1000/1300/2300W
- Adjustable thermostat
- Overheating protection
- Free standing
- With fan turbo
- With timer
- With carry handle
- LCD display (with touch control panel)
- Remote control



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
HCV-DL07	1000/1300/2300W	5.7/4.8	770x165x435	510	1050	1260

### C04-20/C04-20F

- 2 heating power settings:1000/2000W
- Adjustable thermostat
- Overheating protection
- Tip-over switch
- Power indicator light
- With carry handle
- Freestanding
- With fan turbo (Only for C04-20F)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
C04-20	1000/2000W	2.7/2.2	565x420x140	850	1750	2050
C04-20F	1000/2000W	2.8/2.3	565x420x140	850	1750	2050

### C04-F(M)E20/C04-F(M)EW20

- 2 heating power settings:1000/2000W
- Adjustable thermostat
- Overheating protection
- With timer
- Freestanding
- Remote control
- With carry handle
- LED display (with touch control panel)
- With Wifi (Only for C04-FEW20/FMEW20)
- With fan turbo (Only for C04-FME20/FMEW20)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
C04-20	1000/2000W	2.7/2.2	565x420x140	850	1750	2050
C04-20F	1000/2000W	2.8/2.3	565x420x140	850	1750	2050

## DL01SS/SMDL01SS

- 2 heating power settings: 750/1500W (DL01SS)
- 3 heating power settings: 750/1250/2000W (SMDL01SS)
- Adjustable thermostat
- Overheating protection
- Free standing



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
DL01SS	750/750/1500W	1.7/2.2	553x135x330	1150	2350	2780
SMDL01SS	750/1250/2000W	2.1/1.6	553x135x330	1150	2350	2780

## SMDL01 series/ DL01 series

- 3 heating power settings: 750/1250/2000W
- Adjustable thermostat
- Overheating protection
- Free standing
- With fan turbo for option
- With timer for option



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
SMDL01A/B/C/D	750/1250/2000W	2.6/2.9/2.8/3.0 2.0/2.3/2.2/2.4	580x135x400	920	1920	2260
DL01A/B/C/D	750/1250/2000W	3.3/3.7/3.4/3.8 2.6/3.0/2.7/3.1	625x140x435	780	1600	1818

## CH-08/CH-08F/CH-08T/CH-08FT

- 2 heating power settings: 1250/2000W
- Adjustable thermostat
- Overheating protection
- Free standing
- Power indicator light
- With carry handle
- With fan turbo (CH-08F)
- With timer (CH-08T)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
CH-08/CH-08F/CH-08T/CH-08FT	1250 / 2000W	6.1/5.3	775x135x475	645	1335	1485

## CH-08LED/CH-08FLED

- 2 heating power settings: 1250/2000W
- LED display (with touch control panel)
- With fan turbo (only for CH-08FLED)
- Temperature setting function
- Overheating protection
- Power indicator light
- With carry handle
- Remote control
- Free standing
- With timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
CH-08LED/CH-08FLED	1250 / 2000W	6.1/5.3	775x135x475	645	1335	1485

## Crystal Panel Heater Series



### PH-ETxxx-1 series/PH-ETxxxW1 series

- Overheating protection
- Safety fuse inside
- Mechanical rocker switch
- Free standing and wall-mounted
- Carbon crystal heating element  
Only for PH-ETxxxW1 series
- With WIFI control function
- With weekly timer (and open window function)



### PH-ETxxxN(R)1 series/PH-ETxxxE(R)1 series/PH-ETxxxER3 series

- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- LED display (with touch control panel)
- Remote control (only for NR1/ER1/ER3)
- Free standing and wall-mounted  
Only for PH-ETxxxE(R)1series/ER3 series
- With weekly timer (and open window function)
- With WIFI control function  
Only for PH-ETxxxER3 series
- Two-way remote control (automatic calibration of ambient temperature)



Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
350W	4.5/3.7	640x85x635	810	1680	1970
540W	6.3/5.3	940x85x635	550	1140	1340
700W	7.9/6.6	1240x85x635	410	870	1010

## PH-EGxxxER1 Series

- Remote control
- Safety fuse inside
- Restorable thermostat
- Overheating protection
- With WIFI control function
- Free standing and wall-mounted
- LED display (with touch control panel)
- With weekly timer (and open window function)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS40HQ
PH-EG350ER1	350W	/	695x90x695	715x105x715	1235
PH-EG630ER1	630W	/	1095x90x695	1115x105x715	792
PH-EG380ER1	380W	/	995x90x545	1015x105x565	1156
PH-EG600ER1	600W	/	1195x90x645	1215x105x665	860



## PH-ETxxxN(R)2 Series/PH-ETxxxE(R)2 Series/PH-ER3-1 Series



- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- LED display (with touch control panel)
- Remote control (only for NR2/ER2/ER3-1)
- Free standing and wall-mounted
- With weekly timer (and open window function)
- With WIFI control function
- Two-way remote control (automatic calibration of ambient temperature)

Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
350W	4.5/3.7	640x85x635	810	1680	1970
540W	6.3/5.3	940x85x635	550	1140	1340
700W	7.9/6.6	1240x85x635	410	870	1010

PANEL HEATER

## PH-EGxxxER5 series




- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- Remote control
- Free standing and wall-mounted
- With WIFI control function
- Carbon crystal heating element
- Light transmitting display

Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
350W	4.5/3.7	640x85x635	810	1680	1970
540W	6.3/5.3	940x85x635	550	1140	1340
700W	7.9/6.6	1240x85x635	410	870	1010



### PH- ES2000A

- 2 heating power settings:1000/2000W
- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- Tip-over switch
- Remote control
- With weekly timer(and open window function)
- LED display(with touch control panel)
- X-type aluminum heating element
- Free standing and wall-mounted
- With WIFI control function

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
4.1/5.5	790x130x470	790x130x470	565/1190/1430



PANEL HEATER



## HPL-ET07E/HPL-ET09E

- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- LED display (with touch control panel)
- Free standing or wall-mounted (for optional)
- With weekly timer (and open window function)
- With WIFI control function (for optional)
- Heating elements: heating wire



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HPL-ET07E	425W	6.8/6.2	637x53x650	650x245x660	1032	2160	2588
HPL-ET09E	550W	9.4/8.2	637x53x870	650x135x885	756	1596	1816

## PH-ETxxN1/PH-ETxxW1

- Noiseless
- Wall-mounted
- Free spraying
- Stone surface
- Remote control
- Safety fuse inside
- Adjustable thermostat
- Overheating protection
- Heating elements: heating wire  
Only for W1
- With WIFI control function  
Only for N1
- LED display (with touch control panel)
- With weekly timer (and open window function)



PH-ETxxN1



PH-ETxxW1



○ More colors for option White

Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
PH-ET07N1/PH-ET07W1	425W	10.5/8.5	637x60x650	660x105x720	780	1660	1950
PH-ET09N1/PH-ET09W1	550W	14.0/11.5	637x60x870	920x110x720	590	1235	1450

## PN-2000H

- 2 heating power settings
- Remote control
- Safety fuse inside
- Child lock function
- With anti-frost function
- With color icon display
- Adjustable thermostat
- Overheating protection
- Tip-over switch (for optional)
- With weekly timer (only for WIFI)
- Free standing and wall-mounted
- LED display (with touch control panel)
- With timer (and open window function)
- With WIFI control function (for optional)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
PN1000H	1000W	5.4/4.8	600x135x470	/	605	1275	1500
PN1500H	1500W	6.6/5.9	710x135x470	/	475	1000	1175
PN2000H	2000W	7.8/7.0	870x135x470	/	420	885	1040

## HPL-15GR/20GR

- 2 heating power settings
- Tip-over switch
- Remote control
- Eco energy saving
- Tempered glass front
- Heating with no noise
- Free standing and wall-mounted
- LED display (with touch control panel)
- With timer (and open window function)
- With WIFI control function (for optional)
- With anti-frost stat set to 5°C optional
- With 24 digital timer and 7\*24 digital timer
- Heating element: X-shaped aluminum heating element
- Double thermal protector, thermal cut-out and thermal fuse



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HPL-15GR	1500W	8.0/6.9	805x125x555	/	504	1045	1225
HPL-20GR	2000W	9.2/8.0	930x125x555	/	436	903	1059

## HPL-1200

- 2 heating power settings
- Remote control
- Safety fuse inside
- Power indicator light
- Adaptive start control
- Adjustable thermostat
- Overheating protection
- Free standing and wall-mounted
- X-shape aluminum heating element
- LED display (with touch control panel)
- With timer (and open window function)
- With WIFI control function without remote control (for optional)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
HPL-1200	1000W	5.8/5.1	645x130x470	/	710	1470	1720
HPL-1200	1500W	7.0/6.2	805x130x470	/	560	1170	1380
HPL-1200	2000W	8.5/7.4	965x130x470	/	470	980	1150

## C07-HEW10/C07-HEW15/C07-HEW20

- 2 heating power settings
- Tip-over switch
- Remote control
- Safety fuse inside
- Adjustable thermostat
- Overheating protection
- With WIFI control function
- Free standing and wall-mounted
- X-type aluminum heating element
- LED display (with touch control panel)
- With timer (and open window function)



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
C07-HEW10	1000W	/	710x1470x1720	/	572	1185	1389
C07-HEW15	1500W	/	580x1200x1400	/	400	870	1020
C07-HEW20	2000W	/	485x1010x1180	/	372	770	903

## PH01-1000/PH01-1500/PH01-2000

- 2 heating power settings
- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- Tip-over switch
- LED display (with touch control panel)
- With carry handle
- With castors
- Free standing and wall-mounted
- With weekly timer (and open window function)
- Graphene heating element for optional



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
PH01-1000	500/1000W	6.0/5.0	510x120x510	/	900	1860	2210
PH01-1500	750/1500W	7.1/5.5	655x120x510	/	700	1440	1720
PH01-2000	1000/2000W	7.5/6.0	820x120x510	/	560	1150	1370

## DL10-15XE/DL10-20XE

- 2 heating power settings
- Adjustable thermostat
- Overheating protection
- Power indicator light
- Safety fuse inside
- With anti-frost function
- Tip-over switch (for optional)
- Remote control (for optional)
- Free standing and wall-mounted
- LED display (with touch control panel)
- With timer (and open window function)
- With WIFI control function (for optional)
- Electronic thermostat, temperature setting 10-40°C



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
DL10-15XE	750/1500W	7.2/5.5	925x115x460	630	1300	1486
DL10-20XE	1000/2000W	7.2/5.5	925x115x460	630	1300	1486

## C06-X10/C06-X15/C06-X20 C06-XEW10/C06-XEW15/C06-XEW20

- 2 heating power settings
- Overheating protection
- Adjustable thermostat
- Safety fuse inside
- With carry handle
- Tip-over switch
- With castors
- Free standing and wall-mounted
- X-type aluminum heating element
- LED display (with touch control panel)
- With timer (and open window function)
- With WIFI control function (for optional)




Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
C09-HEW10	500/1000W	4.75/3.65	598x465x142	680	1440	1700
C09-HEW15	750/1500W	5.4/4.05	733x465x142	560	1180	1380
C09-HEW20	1000/2000W	6.45/4.95	868x465x142	470	990	1170

PANEL HEATER

## C08-XEW20



- 2 heating power settings:1000/2000W
- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- Tip-over switch
- Remote control
- With weekly timer (and open window function)
- LED display (with touch control panel)
- X-type aluminum heating element
- Free standing and wall-mounted
- With WIFI control function



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
C08-XEW20	2000W	/	868x142x465	485	1010	1180

## C09-HEW10/C09-HEW15/C09-HEW20



- 2 heating power settings
- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- Tip-over switch
- Remote control
- With weekly timer (and open window function)
- LED display (with touch control panel)
- X-type aluminum heating element
- Free standing and wall-mounted
- With WIFI control function
- IP24



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
C09-HEW10	1000W	/	598x142x465	710	1470	1720
C09-HEW15	1500W	/	733x142x465	580	1200	1400
C09-HEW20	2000W	/	868x142x465	485	1010	1180

## C10-XEW20/C10-HEW20



- 2 heating power settings:1000/2000W
- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- Tip-over switch
- Remote control
- With castors
- With weekly timer (and open window function)
- LED display (with touch control panel)
- X-type aluminum heating element
- Free standing and wall-mounted
- With WIFI control function
- IP24



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
C10-XEW20/C10-HEW20	2000W	/	870x145x465	485	1010	1180

## CHX-15GR-B-S/CHX-20GR-B-S



- 2 heating power settings
- Overheating protection
- Adjustable thermostat
- Safety fuse inside
- Tip-over switch
- Remote control
- Anti-frost mode
- With castors
- Free standing and wall-mounted
- X-shape aluminum heating element
- LED display (with touch control panel)
- With timer (and open window function)
- With WIFI control function (for optional)




Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
CHX-15GR-B-S	750/1500W	5.7/4.9	640x1330x1560	684	1450	1580
CHX-20GR-B-S	1000/2000W	6.9/5.9	550x1140x1320	576	1200	1300

## NSA-1000-45SW/NSA-1000-70SW/NSA-1000-87SW



- 2 heating power settings
- Overheating protection
- With WIFI control function
- Temp setting from 5°C-50°C
- LED display (with touch control panel)
- Free standing and wall-mounted (for optional)
- With weekly timer (and open window function)
- Self-resetting thermostat and thermal fuse






Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20/40/40HQ
NSA-1000-S45W	1000W	4.2/3.2	585x450x135	760/1610/1890
NSA-1500-70SW	1500W	5.5/4.6	745x450x135	600/1260/1480
NSA-2000-87SW	2000W	6.5/5.6	915x450x135	485/1025/1205

PANEL HEATER

## NSA-1000-45RW/NSA-1000-70RW/NSA-1000-87RW



- 2 heating power settings
- Overheating protection
- With WIFI control function
- Temp setting from 5°C-50°C
- LED display (with touch control panel)
- Free standing and wall-mounted (for optional)
- With weekly timer (and open window function)
- Self-resetting thermostat and thermal fuse



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20/40/40HQ
NSA-1000-45RW	1000W	4.2/3.2	585x450x135	760/1610/1890
NSA-1500-70RW	1500W	5.5/4.6	745x450x135	600/1260/1480
NSA-2000-87RW	2000W	6.5/5.6	915x450x135	485/1025/1205



### CLOF-C

- Oil-free radiator
- 2 power settings:1000W/2000W
- With tempered glass front panel
- LED display (With Touch control panel)
- Aluminum heating element
- Overheat protection
- With anti-frost mode
- With child lock
- With tip-off switch
- With cord storage
- Freestanding only
- With WIFI control function (for optional)
- IP24

Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20/40/40HQ
1500W	/	585x135x450	760/1600/1880
2000W	/	745x135x450	600/1250/1470
2500W	/	905x135x450	480/1000/1180

Carry handle



High thermal efficiency



Castor and cord storage



Different design for option



### CLO-A

- 7/9/11/13 fins
- Tip-over switch
- With timer
- With castors
- Free standing
- Remote control
- Fin Size:120x550mm
- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- Three heating power settings
- LED display(with touch control panel)
- With WIFI control function(for optional)
- Temperature range: 5-35°
- 3 mode settings: Eco/Comfort/Anti frost
- LED touch screen with brightness adjustable
- Child lock
- Pressure tested for safety

Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20/40/40HQ
7	1500W	6.8/6.1	370x135x630	850/1810/2130
9	2000W	8.5/7.8	435x135x630	730/1540/1810
11	2500W	9.7/8.9	505x135x630	630/1330/1560
13	2500W	11.0/10.1	575x135x630	550/1165/1370




High thermal efficiency



Carry handle



LED display (with touch control panel)



Castor and cord storage



OIL-FILLED  
RADIATOR  
HEATER

### X03

- 5/7/9/11/13 fins
- Fin Size:97x335mm
- Free standing
- With carry handle
- Manual control
- Power indicator light
- Adjustable thermostat
- Overheating protection
- Tip-over safety switch



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7	500W	/	285×140×420	1610	3400	4000
9	800W	/	360×140×420	1280	2700	3165
11	800W	/	435×140×420	1055	2220	2610
13	1000W	/	510×140×420	900	1900	2230

### NY-L

- 5/7/9/11 fins
- Fin Size:100x335mm
- one heating power setting
- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- Power indicator light
- With carry handle
- Free standing
- Pressure tested for safety



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
5	500W	3.1/2.7	280×130×420	1800	3720	4370
7	800W	4.5/3.9	360×130×420	1370	2890	3400
9	1000W	6.6/5.7	440×130×420	1120	2370	2790
11	1000W	8.0/6.9	520×130×420	950	2010	2360

### 0128RC

- 5/7/9/11/13 fins
- Fin Size:110x450mm
- Safety fuse inside
- Tip-over switch
- Adjustable thermostat
- Overheating protection
- Three heating power settings
- With WIFI control function (for optional)
- LED display (with touch control panel)
- Remote control (for optional)
- With timer
- With castors
- Free standing



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
5	1000W	4.4/4.0	270x122x530	1603	3322	3895
7	1500W	5.6/5.0	350x122x530	1237	2562	3004
9	2000W	6.9/6.1	420x122x530	1031	2135	2503
11	2500W	8.3/7.3	500x122x530	866	1793	2103
13	2500W	9.8/8.6	575x122x530	753	1559	1828

## OR4511/OR4512

- 5/7/9/11/13 fins
- Fin Size:110x450mm
- 3 heating power settings
- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- Tip-over switch
- With castors
- Free standing



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
5	1000W	4.4/4.0	270x122x530	1603	3322	3895
7	1500W	5.6/5.0	350x122x530	1237	2562	3004
9	2000W	6.9/6.1	420x122x530	1031	2135	2503
11	2500W	8.3/7.3	500x122x530	866	1793	2103
13	2500W	9.8/8.6	575x122x530	753	1559	1828

## NY-W1/NY-G1

- 7/9/11/13 fins
  - Fin Size:120x500mm
  - With cord storage
  - Safety fuse inside
  - Power indicator light
  - Adjustable thermostat
  - Overheating protection
  - Three heating power settings
  - Tip-over switch (for optional)
  - Pressure tested for safety
- With carry handle
  - Free standing
  - With castors



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7	1500W	7.8/7.0	370x135x580	970	1990	2330
9	2000W	9.5/8.6	450x135x580	770	1630	1920
11	2500W	11.2/10.2	530x135x580	660	1390	1630
13	2500W	12.8/11.8	610x135x580	570	1200	1410

## CLO-B

- 7/9/11/13 fins
  - Fin Size:120x550mm
  - With cord storage
  - Safety fuse inside
  - Free standing
  - With castors
  - Tip-over switch
  - With carry handle
  - Power indicator light Adjustable thermostat
- Overheating protection
  - Three heating power settings
  - Pressure tested for safety



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7	1500W	6.8/6.1	370x135x630	850	1810	2130
9	2000W	8.5/7.8	435x135x630	730	1540	1810
11	2500W	9.7/8.9	505x135x630	630	1330	1560
13	2500W	11.0/10.1	575x135x630	550	1165	1370

OIL-FILLED RADIATOR HEATER

### NSF-K

- 7/9/11/13 fins
- Fin Size:120x550mm
- Adjustable thermostat
- Overheating protection
- With cord storage
- Safety fuse inside
- Power indicator light
- Three heating power settings
- Tip-over switch (for optional)
- Pressure tested for safety

- With carry handle
- Free standing
- With castors



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7	1500W	6.0/5.5	370x135x630	875	1850	2150
9	2000W	7.3/6.6	430x135x630	765	1600	1850
11	2500W	8.7/7.9	510x135x630	640	1320	1550
13	2500W	10.1/9.1	570x135x630	570	1190	1400

### NSF-V(1)/VR(1)

- 7/9/11/13 fins
- Fin Size:120x550mm
- With cord storage
- Safety fuse inside
- Free standing
- With castors
- Tip-over switch
- With carry handle
- Power indicator light
- Adjustable thermostat
- Overheating protection
- Three heating power settings
- Pressure tested for safety

- Only for NSF-VR (1)
- With WIFI control function (for optional)
  - LED display (with touch control panel)
  - Remote control (for optional)
  - With timer



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7	1500W	6.6/6.1	370x135x630	890	1830	2150
9	2000W	8.2/7.5	450x135x630	730	1530	1800
11	2500W	9.4/8.6	510x135x630	600	1300	1510
13	2500W	11.4/10.4	570x135x630	550	1160	1360

### O128RC

- 5/7/9/11/13 fins
- Fin Size:120x580mm
- Safety fuse inside
- Tip-over switch
- Adjustable thermostat
- Overheating protection
- Three heating power settings
- With WIFI control function (for optional)
- LED display (with touch control panel)
- Remote control (for optional)

- With timer
- With castors
- Free standing



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
5	1000W	6.1/5.4	270x132x660	1232	2477	2912
7	1500W	7.9/7.1	345x132x660	970	2008	2258
9	2000W	9.6/8.7	415x132x660	773	1598	1876
11	2500W	11.3/10.4	485x132x660	633	1368	1608
13	2500W	13.0/12.0	565x132x660	590	1207	1402

## SH-76A

- 7/9/11/13 fins
- 2 power settings
- Fin size:120x550mm
- With cord storage
- With timer
- Tip-over switch
- With remote control
- Overheat protection
- Electronic thermostat
- Temperature range: 5-35°
- 3 mode settings: Eco/Comfort/Anti frost
- LED display (with touch control panel)
- WIFI function for option



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7	1500W	6.6/6.1	370x135x630	890	1830	2150
9	2000W	8.2/7.5	450x135x630	730	1530	1800
11	2500W	9.4/8.6	510x135x630	600	1300	1510
13	2500W	11.4/10.4	570x135x630	550	1160	1360

## B05

- 7/9/11/13 fins
- Fin Size:125x580mm
- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- Power indicator light
- Three heating power settings
- Tip-over switch (for optional)
- Pressure tested for safety
- With carry handle
- Free standing
- With castors



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7	1500W	7.5/6.8	370x160x660	735	1555	1800
9	2000W	9.3/8.6	485x160x660	530	1110	1300
11	2500W	11.1/10.4	565x160x660	450	950	1120
13	2500W	12.9/12.2	645x160x660	395	830	975

## B06A/B06R

- 7/9/11/13 fins
- Fin Size:125x580mm
- Adjustable thermostat
- Overheating protection
- Power indicator light
- Three heating power settings
- Tip-over switch (for optional)
- With carry handle
- Free standing
- Only for B06R
- With LED display
- Touch-sensitive control



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7	1500W	/	455x160x670	740	1540	1813
9	2000W	/	490x160x670	600	1260	1478
11	2500W	/	555x160x670	530	1100	1290
13	2500W	/	610x160x670	460	970	1142

## B07/B07R

- 7/9/11/13 fins
- Fin Size:125x580mm
- Adjustable thermostat
- Overheating protection
- Power indicator light
- Three heating power settings
- Tip-over switch (for optional)
- With carry handle
- Free standing

- Only for B07R
- With LED display
- Touch-sensitive control



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7	1500W	/	455×160×670	740	1540	1813
9	2000W	/	490×160×670	600	1260	1478
11	2500W	/	555×160×670	530	1100	1290
13	2500W	/	610×160×670	460	970	1142

## B07/B07-ER

- 7/9/11/13 fins
- Fin Size:125x580mm
- Tip-over switch
- Free standing
- With castors
- With carry handle
- Safety fuse inside
- Power indicator light
- Adjustable thermostat
- Overheating protection
- Pressure tested for safety
- Three heating power settings

- Only for B07-ER
- With timer
- Digital control
- Remote control (for optional)
- LED display (with touch control panel)
- With WIFI control function (for optional)



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7	1500W	7.5/6.8	370×160×660	735	1555	1800
9	2000W	9.3/8.6	485×160×660	530	1110	1300
11	2500W	11.1/10.4	565×160×660	450	950	1120
13	2500W	12.9/12.2	645×160×660	395	830	975

## NY-J/NY-JT

- 7/9/11/13 fins
- Fin Size:140x580mm
- Free standing
- With castors
- With carry handle
- With cord storage
- Safety fuse inside
- Power indicator light
- Adjustable thermostat
- Overheating protection
- Three heating power settings
- Tip-over switch (for optional)
- Pressure tested for safety

- Only for NY-JT
- With timer



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7	1500W	9.2/7.9	370×150×660	810	1660	1860
9	2000W	11.0/9.7	450×150×660	640	1320	1550
11	2500W	12.7/11.2	530×150×660	540	1110	1310
13	2500W	14.4/12.9	610×150×660	470	960	1130

## NY-D/NY-DFT

- 7/9/11/13 fins
- Fin Size:145x580mm
- With cord storage
- With carry handle
- Free standing
- With castors
- Safety fuse inside
- Power indicator light
- Adjustable thermostat
- Overheating protection
- Tip-over switch (for optional)
- Three heating power settings
- Pressure tested for safety

- Only for NY-DFT
- With 400W fan turbo
  - With timer



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7	1500W	10.0/9.1	370×160×660	700	1470	1730
9	2000W	12.2/11.2	450×160×660	580	1200	1430
11	2500W	14.4/13.3	530×160×660	500	1030	1200
13	2500W	16.6/15.4	610×160×660	420	880	1050

## NY-K

- 7/9/11/13 fins
- Fin Size:145x580mm
- With cord storage
- Safety fuse inside
- Power indicator light
- Adjustable thermostat
- Overheating protection
- Three heating power settings
- Tip-over switch (for optional)
- With fan turbo (for optional)
- With 24h timer (for optional)
- Pressure tested for safety

- With carry handle
- Free standing
- With castors



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7	1500W	9.9/8.9	370×160×660	700	1470	1730
9	2000W	12.1/11.0	450×160×660	580	1200	1430
11	2500W	14.3/13.1	530×160×660	500	1030	1200
13	2500W	16.1/14.9	610×160×660	420	880	1050

## NY-C

- 7/9/11/13 fins
- Fin Size:145x580mm
- With cord storage
- Safety fuse inside
- Power indicator light
- Adjustable thermostat
- Overheating protection
- Three heating power settings
- Tip-over switch (for optional)
- Pressure tested for safety

- With carry handle
- Free standing
- With castors



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7	1500W	9.9/8.9	370×160×660	700	1470	1730
9	2000W	12.1/11.0	450×160×660	580	1200	1430
11	2500W	14.3/13.1	530×160×660	500	1030	1200
13	2500W	16.1/14.9	610×160×660	420	880	1050

## NY-H/NY-HC

- 7/9/11/13 fins
- Fin Size:145x580mm
- With cord storage
- With carry handle
- Free standing
- With castors
- Safety fuse inside
- Power indicator light
- Adjustable thermostat
- Overheating protection
- Pressure tested for safety
- Three heating power settings
- Tip-over switch (for optional)

- Only for NY-HC
- With LCD display
  - With button to control



Fins	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
7	1500W	9.9/8.9	370×160×660	700	1470	1730
9	2000W	12.1/11.0	450×160×660	580	1200	1430
11	2500W	14.3/13.1	530×160×660	500	1030	1200
13	2500W	16.1/14.9	610×160×660	420	880	1050

## SA-JX40A/SA-JX60A/SA-JX80A/SA-JX100A

- One heating power settings
- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- Tip-over switch (for optional)
- Free standing

Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20/40/40HQ
SA-JX40A	400W	5.9/4.3	585x95x600	980/1720/2000
SA-JX60A	600W	8.7/6.5	810x95x600	710/1240/1440
SA-JX80A	800W	10.5/8.4	1035x95x600	470/970/1140
SA-JX100A	1000W	12.7/10.0	1215x95x600	400/820/960



## SA-LCD40A/SA-LCD60A/SA-LCD80A/SA-LCD100A

- One heating power settings
- Adjustable thermostat
- Overheating protection
- Safety fuse inside
- Tip-over switch (for optional)
- Free standing

- Only for SA-LCD40A/SA-LCD60A/
- SA-LCD80A/SA-LCD100A
  - With LCD display
  - With weekly timer


Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20/40/40HQ
SA-JX40A	400W	5.9/4.3	585x95x600	980/1720/2000
SA-JX60A	600W	8.7/6.5	810x95x600	710/1240/1440
SA-JX80A	800W	10.5/8.4	1035x95x600	470/970/1140
SA-JX100A	1000W	12.7/10.0	1215x95x600	400/820/960



### QH-1200C/ZQH03-1200W

- 2 heating power settings:600/1200W
- Safety fuse inside
- Power indicator light
- Oscillation function
- With pull switch
- Wall-mounted

Model	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
QH-1200C	1.7/1.5	565x135x180	575x280x190	1800/3770/4400
ZQH03-1200W	1.6/1.4	565x135x160	580x420x335	1830/4020/4800



### LQ-120G1C/LQ-120G1H/LQ-120G1Q

- Carbon Fiber Heater/Halogen Heater/Quartz Heater
- 2-3 heating power settings
- Overheating protection
- Safety fuse inside
- Power indicator light
- Tip-over switch
- Oscillation function
- With carry handle
- Free standing
- Cool touch housing

Model	G.W./N.W.(kg)	Power	Gift box(mm)	PCS/20/40/40HQ
LQ-120G1C	2.2/1.7	450/900W	310x160x710	800/1650/1950
LQ-120G1H	2.3/1.8	400/800/1200W	310x160x710	800/1650/1950
LQ-120G1Q	2.3/1.8	400/800/1200W	310x160x710	800/1650/1950



### HQZ-80A/HQZ-80AS/HQZ-1000A

- 2 heating power settings:400/800W
- Safety fuse inside
- Power indicator light
- Tip-over switch
- With carry handle
- Free standing

Model	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
HQZ-80A	1.2/1.0	270x110x405	565x550x420	2140/4400/5210
HQZ-80AS	1.0/0.8	260x85x370	535x435x385	3120/6470/7590
HQZ-1000A	1.2/1.0	305x125x380	640x620x395	1760/3600/4240



QUARTZ HEATER

### HHG-01/HHG-01R

- 3 heating power settings:400/800/1200W
- Safety fuse inside
- Power indicator light
- Tip-over switch
- Oscillation function
- With carry handle
- Free standing
- Only for HHG-03R
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.0/1.6	320x125x520	320x125x520	1400/2900/3320



### HHG-01S

- 3 heating power settings:400/800/1200W
- Safety fuse inside
- Power indicator light
- Tip-over switch
- Oscillation function
- With carry handle
- Free standing

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
1.9/1.5	280x130x480	280x130x480	1620/3350/3900



### HHG-02

- 3 heating power settings:400/800/1200W
- Safety fuse inside
- Power indicator light
- Tip-over switch
- Oscillation function
- With carry handle
- Free standing

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
1.9/1.4	320x125x520	320x125x520	1400/2900/3320



### HHG-03A/HHG-03AR

- 4 heating power settings:400/800/1200/1600W
- Safety fuse inside
- Power indicator light
- Tip-over switch
- Oscillation function
- With carry handle
- Free standing
- Only for HHG-03AR
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.4/2.0	340x160x570	340x160x570	950/1900/2200



### HHG-03/HHG-03R

- 3 heating power settings:400/800/1200W
- Safety fuse inside
- Power indicator light
- Tip-over switch
- Oscillation function
- With carry handle
- Free standing
- Only for HHG-03R
- With timer
- Remote control

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
2.4/2.0	340x160x570	340x160x570	950/1900/2200





### T14-G10YD

- Carbon fiber tube
- 2 power settings:500/1000W
- With tip over safety switch
- 120° horizontal head shake
- 90° product head rotation
- With portable handle

Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
500/1000W	3.0/2.55	840x235x290	490/1010/1190



### T15-G12YD

- Carbon fiber tube
- 2 power settings:600/1200W
- With tip over safety switch
- 120° or 360° oscillation function
- With portable handle

Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
600/1200W	2.8/2.15	265x265x550	725/1500/1760



### T04-GR08

- Carbon fiber tube
- Power:800W
- With touch key
- With the atmosphere lamp

Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
800W	2.2/1.5	210x215x290	1010/2140/2515



### KB-1200UT

- Carbon fiber tube
- Power:1200W
- With tip over safety switch
- With 360 degree oscillation function
- With portable handle

Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
1200W	4.5/4.0	250x250x720	615/1270/1490



### T08-GR15YD

- Power:1500w
- 8 heating power settings
- Tip-over switch
- With remote control
- With timer

Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
1500W	4.5/3.9	290x290x890	380/780/910



### NSKT-90-10A

- Power:1500w
- Tip-over switch
- With remote control
- With timer
- 3 heating power adjustment options
- 360° efficient heating8 heating power settings
- Touch screen operation panel, large screen display

Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
1500W	6.0/4.8	308x300x712	420/850/1030

CARBON FIBRE HEATER



**PHP-DI/DR/D/DIR**

- Three quartz tubes
- LED nightlight for option
- Wall mounted or freestanding for option
- Pull line power control or remote control for option
- Explosion proof tube design for option

**T03-Q22AD/Q22B**

- Three quartz tubes
- 3 power settings
- Wall mounted or freestanding for option
- Adjustable height: 1.3-2.1m
- With pull line switch

Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
PHP-650D	650W	2.6/1.9	530x240x270	815	1688	1979
PHP-1300D	1300W					
PHP-2000D	2000W					
PHP-650DI	650	9.85/8.45	530x220x530	472	940	1100
PHP-1300DI	1300W					
PHP-2000DI	2000W					
T03-Q22AD	2200	9.25/8.15	530x220x530	453	938	1100
T03-Q22B	2200	2.6/1.9	530x240x270	815	1688	1979



**SHP-BS/PHE-BS**

- Single halogen tube or carbon fiber tube for option
- Pull line power control

**PHH-BS**

- Two halogen tubes or carbon fiber tubes for option
- Rocker switch control
- Adjustable height for 2000W: 1.94-2.09m
- Height for 2500W: 1.88m



Table for option



Foot wheel

**PHP-BS**

- Two halogen tubes or carbon fiber tubes for option
- Pull line power control

Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
SHP-1000BS	1000W	10.25/9.25	540x540x420	228	473	555
SHP-1500BS	1500W					
PHE-1000BS	1000W	9.7/8.3	560x540x375	246	511	599
PHE-1500BS	1500W					
PHP-1500BS	1500W	10.2/8.6	550x550x430	215	445	522
PHH-2000BS	2000W	15.2/13.0	610x610x460	163	338	397
PHH-2500BS	2500W	15.0/12.3	610x610x460	163	338	397
PHH-3000BS	3000W					



### JHS series

- Heating element: Quartz or Carbon for option
- Wall mounted
- LED display and remote control for option(JHS-R)

Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
JHS-1500R	1500W	2.2/1.7	650x145x235	1260	2610	3060
JHS-1800R	1800W					
JHS-2000R	2000W	3.2/2.4	910x145x235	900	1860	2190
JHS-2500R	2500W					
JHS-3000R	3000W	3.7/2.8	1050x145x235	770	1610	1890



### JHS series with Tripod holder

- Heating element: Quartz or Carbon for option
- Free standing or Wall mounted
- Tripod holder
- LED display and remote control for option(JHS-RS)


Model	Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
JHS-1500S	1500W	4.3/3.5	650x145x235(Head) 1045x150x135(Holder)	640/1330/1560
JHS-1800S	1800W	4.3/3.5	650x145x235(Head) 1045x150x135(Holder)	640/1330/1560
JHS-2000S	2000W	5.3/4.2	910x145x235(Head) 1045x150x135(Holder)	530/1100/1300
JHS-2500S	2500W	5.3/4.2	910x145x235(Head) 1045x150x135(Holder)	530/1100/1300
JHS-3000S	3000W	5.8/4.6	1050x145x235(Head) 1045x150x135(Holder)	490/1010/1190



### JHS series with Corss holder

- Heating element: Quartz or Carbon for option
- Free standing or Wall mounted
- Corss holder
- LED display and remote control for option(JHS-RS)

Model	Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
JHS-1500S	1500W	3.9/3.1	650x145x235(Head) 1095x105x142(Holder)	720/1500/1770
JHS-1800S	1800W	3.9/3.1	650x145x235(Head) 1095x105x142(Holder)	720/1500/1770
JHS-2000S	2000W	4.9/3.8	910x145x235(Head) 1095x105x142(Holder)	590/1220/1440
JHS-2500S	2500W	4.9/3.8	910x145x235(Head) 1095x105x142(Holder)	590/1220/1440
JHS-3000S	3000W	5.4/4.2	1050x145x235(Head) 1095x105x142(Holder)	530/1100/1300



### NX-R series

- Heating element: Quartz or Carbon for option
- Wall mounted
- LED display
- Remote control
- Mechanical control for option(NX-xxxx)

Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
NX-1500R	1500W	2.6/1.95	700x135x240	1230	2550	2990
NX-1800R	1800W					
NX-2000R	2000W	3.6/2.75	960x135x240	910	1900	2220
NX-2500R	2500W					
NX-3000R	3000W	4.1/3.15	1100x135x240	790	1640	1930



### NX-RS series with Tripod holder

- Heating element: Quartz or Carbon for option
- Free standing or Wall mounted
- Tripod holder
- LED display
- Remote control
- Mechanical control for option(NX-S)


Model	Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
NX-1500RS	1500W	4.9/3.9	700x135x240(Head) 1045x150x135(Holder)	610/1280/1500
NX-1800RS	1800W	4.9/3.9	700x135x240(Head) 1045x150x135(Holder)	610/1280/1500
NX-2000RS	2000W	5.5/4.95	960x135x240(Head) 1045x150x135(Holder)	520/1070/1260
NX-2500RS	2500W	5.5/4.95	960x135x240(Head) 1045x150x135(Holder)	520/1070/1260
NX-3000RS	3000W	6.6/5.3	1100x135x240(Head) 1045x150x135(Holder)	480/990/1160



### NX-RS series with Corss holder

- Heating element: Quartz or Carbon for option
- Free standing or Wall mounted
- Corss holder
- LED display
- Remote control
- Mechanical control for option(NX-S)

Model	Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
NX-1500RS	1500W	7.1/5.8	700x135x240(Head) 1095x105x142(Holder)	680/1420/1660
NX-1800RS	1800W	7.1/5.8	700x135x240(Head) 1095x105x142(Holder)	680/1420/1660
NX-2000RS	2000W	7.8/6.2	960x135x240(Head) 1095x105x142(Holder)	560/1170/1380
NX-2500RS	2500W	7.8/6.2	960x135x240(Head) 1095x105x142(Holder)	560/1170/1380
NX-3000RS	3000W	8.1/6.5	1100x135x240(Head) 1095x105x142(Holder)	520/1070/1280



### JHS-CR series

- Heating element: Quartz or Carbon for option
- Out door
- Wall mounted
- LED display
- Remote control
- Mechanical control for option(JHS-C)

Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
JHS-1500CR	1500W	3.0/2.4	750x135x240	1150	2400	2810
JHS-1800CR	1800W					
JHS-2000CR	2000W	3.6/3.1	1005x135x240	850	1780	2080
JHS-2500CR	2500W					
JHS-3000CR	3000W	4.2/3.4	1150x135x240	750	1560	1830



### JHS-CRS series with Tripod holder

- Heating element: Quartz or Carbon for option
- Out door
- Free standing or Wall mounted
- Tripod holder
- LED display
- Remote control
- Mechanical control for option(JHS-CS)

Model	Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
JHS-1500CRS	1500W	4.9/3.9	745x135x240(Head) 1045x150x135(Holder)	610/1280/1500
JHS-1800CRS	1800W	4.9/3.9	745x135x240(Head) 1045x150x135(Holder)	610/1280/1500
JHS-2000CRS	2000W	5.5/4.9	1005x135x240(Head) 1045x150x135(Holder)	520/1070/1260
JHS-2500CRS	2500W	5.5/4.9	1005x135x240(Head) 1045x150x135(Holder)	520/1070/1260
JHS-3000CRS	3000W	6.6/5.3	1145x135x240(Head) 1045x150x135(Holder)	480/990/1160



### JHS-CRS series with Corss holder

- Heating element: Quartz or Carbon for option
- Out door
- Free standing or Wall mounted
- Corss holder
- LED display
- Remote control
- Mechanical control for option(JHS-CS)

Model	Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
JHS-1500CRS	1500W	7.1/5.8	745x135x240(Head) 1095x105x142(Holder)	680/1420/1660
JHS-1800CRS	1800W	7.1/5.8	745x135x240(Head) 1095x105x142(Holder)	680/1420/1660
JHS-2000CRS	2000W	7.8/6.2	1005x135x240(Head) 1095x105x142(Holder)	560/1170/1380
JHS-2500CRS	2500W	7.8/6.2	1005x135x240(Head) 1095x105x142(Holder)	560/1170/1380
JHS-3000CRS	3000W	8.1/6.5	1145x135x240(Head) 1095x105x142(Holder)	520/1070/1280

OUTDOOR HEATER



### JHS-1500AR/JHS-2000AR


- Single heat settings
- Carbon heating tube
- Tip over switch

Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
1500W	4.9/3.9	315x315x810	340/690/840
2000W	11.5/11.0	315x315x1070	260/520/630

### PSG-15R/20R

- 3 heat settings
- Carbon heating tube
- Tip over switch
- LED display
- Remote control
- Mechanical control for optional

Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
1500W	5.5/6.7	965x337x200	430/890/1040
2000W	6.2/7.6	1025x337x200	400/840/985



OUTDOOR HEATER

### HOD-TW15R/TW20R/TW30R

- Golden tube
- 3 heat setting
- With remote control
- Mechanical rocker switch
- High rated aluminum reflector
- Anodized extruded aluminum alloy housing
- Wall mounted

Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
1500W	2.84/2.34	580x180x150	1787/3703/4342
2000W	3.2/2.7	675x180x150	1536/3182/3731
3000W	4.2/3.51	1105x380x320	951/1970/2310

### IF series

- 2 or 3 heat settings
  - Stainless steel heating tube
  - Aluminum and glass panel
  - Wall mounted or ceiling
  - Mechanical operation
- Only for IF-R series
- Remote control
  - LED display
  - With timer

Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
1200W	8.3/7.6	1035x135x275	710/1500/1760
1800W	10.4/9.6	1300x135x275	560/1180/1390
2400W	12.1/11.1	1565x135x275	460/980/1150
3200W	15.0/13.7	1960x135x275	370/780/910



### HOD-1500C

- Power: 1500W
- The length of chain: 50cm

Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
1500W	3.7/2.6	450X450X365	375/780/920



### HOD-1500A

- Power: 1500W
- The length of chain: 50cm

Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
1500W	2.5/1.5	450x450x280	490/1020/1190



### P01-GLR12B/P01-GLR15B

- 3 power settings: 500/700/1200W or 600/900/1500W
- With timer
- With 4 LED light
- With LED display
- Two halogen tubes or carbon fiber tubes for option

Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
1500W	3.5/2.7	510x510x200	544/1120/1331



### P05-GR15B

- Power:1500w
- With remote control
- With indicator light

Power	G.W./N.W.(kg)	Gift box(mm)	20/40/40HQ
1500W	3.35/2.3	485x485x305	390/800/950

OUTDOOR HEATER

### YXC-02F

- Heating element: PTC
- Adjustable thermostat control
- carrying tray
- anti-slip feet
- power cable:135cm,: H05VV-F 2G 0.75 mm<sup>2</sup>



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
YXC-02F	1100/2000W	1.7/1.4	215x160x230	/	3500	7000	8350

- Heating element: PTC
- Adjustable thermostat control
- Overheat protection
- With fan & cooling
- Full metal casing
- Insulated handle more safe for using
- Free standing & portable type



YXC-02



YXC-03

Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
YXC-02	1000/2000W	2.0/1.8	195x180x215	740x205x445	3344	6688	7800
YXC-03	1000/2000/3000W	3.3/2.8	280x210x270	280x275x280	1340	2680	3020

- Heating element: Stainless steel
- Adjustable thermostat control
- Overheat protection
- With fan & cooling
- Full metal casing
- Insulated handle more safe for using
- Free standing & portable type
- 5KW/9KW with relay
- 9KW with time-delay function
- 9KW without cable



YXF-20A/30A/33A/50A



YXF-90A



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
YXF-20A	25/1000/2000W	3.6/3.2	250x240x348	1440	2880	3250
YXF-30A	30/1500/3000W	5.4/4.6	295x295x435	720	1520	1750
YXF-33A	30/1650/3300W					
YXF-50A	30/2500/5000W	6.1/5.3	295x295x435	720	1520	1750
YXF-90A	52/4500/9000W	8.9/7.9	330x330x510	532	1064	1260

- Heating element: PTC
- Adjustable thermostat control
- Overheat protection
- With fan & cooling
- Full metal casing
- Insulated handle more safe for using
- Free standing & portable type



**YXC-02R/150R/  
YXC-03RS/YXC-03R**

**YXC-05R**

Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
YXC-02R	20/1000/2000W	1.7/1.5	200x180x225	740x210x465	3104	6400	7440
YXC-150R	20/750/1500W	1.7/1.5	450x400x510	/	2560	5320	5800
YXC-03RS	25/1500/3000W	2.2/1.9	260x195x285	/	2160	4416	4968
YXC-03R	25/1500/3000W	3.2/2.7	265x210x315	/	1600	3300	3880
YXC-05R	40/2500/5000W	4.4/4.0	320x245x380	/	940	1950	2280

### YXC-02E/YXC-03E

- Heating element: PTC
- Adjustable thermostat control
- Overheat protection
- With fan & cooling
- Full metal casing
- Insulated handle more safe for using
- Free standing & portable type
- Heating temperature setting range: 5-35°C
- LED display
- 24 hours timer



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
YXC-02E	20/1000/2000W	1.7/1.5	200x180x225	740x210x465	3104	6400	7440
YXC-03E	25/1500/3000W	2.9/2.5	265x210x315	/	1600	3300	3880

INDUSTRIAL  
FAN  
HEATER

### YXC-02R(NEW)/YXC-03R(NEW)

- Heating element: PTC
- Adjustable thermostat control
- Overheat protection
- With fan & cooling
- Full metal casing
- Insulated handle more safe for using
- Free standing & portable type



Model	Power	G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20	PCS/40	PCS/40HQ
YXC-02R	20/1000/2000W	2.0/1.8	205x195x250	800x215x520	2304	4960	5840
YXC-03R	25/1500/3000W	3.5/3.0	265x225x335	/	1400	2850	3350

- Heating element: Stainless steel
- Adjustable thermostat control
- Overheat protection
- With fan
- Full metal casing
- Insulated handle more safe for using
- Free standing & portable type



YXE-02/03



YXE-02R/03R



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
YXE-02	25/2000W	4.0/3.5	270x240x355	1200	2500	2950
YXE-03	30/3000W	4.2/3.8				
YXE-02R	25/2000W	4.1/3.6	275x245x355	1170	2420	2850
YXE-03R	30/3000W	4.2/3.8				
YXE-02	25/1000/2000W	4.0/3.5	270x240x355	1200	2500	2950
YXE-03	30/1500/3000W	4.2/3.8				
YXE-02R	25/1000/2000W	4.1/3.6	275x245x355	1170	2420	2850
YXE-03R	30/1500/3000W	4.2/3.8				



YXE-30R/50R



YXE-90R



YXE-150R



- Heating element: Stainless steel
- Adjustable thermostat control
- 9KW/15KW with time-delay
- 5KW/9KW with relay
- 3KW/5KW/9KW with cable

- Overheat protection
- Full metal casing
- Insulated handle more safe for using
- Free standing & portable type

Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
YXE-30R	30/1500/3000W	6.8/6.0	332x332x415	595	1190	1500
YXE-50R	30/2500/5000W	7.2/6.5				
YXE-90R	52/4500/9000W	10.5/9.0	380x420x530	330	680	800
YXE-150R	110/5000/10000/15000W	24.8/21.2	550x390x540	240	480	568



**YXF-20C/30C/33C/50C**



**YXF-90C**



**YXF-150C**



- Heating element: Stainless steel
- Adjustable thermostat control
- Overheat protection
- With cooling

- Free standing & portable type
- 5KW/9KW with relay
- 9KW/15KW with time-delay function
- 9KW/15KW without cable

Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
YXF-20C	25/1000/2000W	4.5/3.8	310x255x390	990	1980	2262
YXF-30C	30/1500/3000W	6.8/5.9	325x325x475	588	1176	1357
YXF-33C	30/1658/3300W	6.5/5.8				
YXF-50C	30/2500/5000W	9.8/8.6				
YXF-90C	52/4500/9000W	13.0/11.8	430x375x555	312	624	752
YXF-150C	90/5000/10000/20000W	15.6/14.5	470x470x628	222	444	499



**YXF-30B/33B/50B**



**YXF-90B**



**YXF-150B**



**YXF-220B**



- Heating element: Stainless steel
- Adjustable thermostat control
- Overheat protection
- With cooling

- Free standing & portable type
- 5KW/9KW with relay
- 9KW/15KW/22KW with time-delay function
- 9KW/15KW/22KW without cable

Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
YXF-30B	30/1500/3000W	6.3/5.8	305x280x460	760	1520	1760
YXF-33B	30/1650/3300W					
YXF-50B	30/2500/5000W	7.0/6.2	305x280x460	760	1520	1760
YXF-90B	52/4500/9000W	10.6/9.6	365x330x510	455	940	1110
YXF-150B	90/5000/10000/15000W	14.8/13.4	420x265x560	336	672	784
YXF-220B	110/11000/22000W	23.2/21.8	445x445x628	230	470	550

INDUSTRIAL  
FAN  
HEATER



### YXD-20H

- Mobile air heater
- Function on diesel oil or kerosene
- Cut-off protection, re-plugged in will not work automatically
- Stainless steel combustion chamber with fan cooling
- Low pressure atomization, combustion completely
- With flame sensor
- If no oil, heater will cut off the power
- Fixed oil display
- With P.C. panel to smart setting temperature



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
YXD-20H	20KW	14.8/12.8	820x370x470	200	400	480

### YXD-20/30/50/60



- Mobile air heater
- Function on diesel oil or kerosene
- Cut-off protection, re-plugged in will not work automatically
- Stainless steel combustion chamber with fan cooling
- Low pressure atomization, combustion completely
- With flame sensor
- If no oil, heater will cut off the power
- Fixed oil display
- With P.C. panel to smart setting temperature



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
YXD-20	20KW	16.2/14.2	820x370x470	200	400	480
YXD-30	30KW	22.0/20.5	905x420x490	150	300	345
YXD-50	50KW	32.0/25.5	1095x465x570	100	200	235
YXD-60	60KW					

### YXG-10M/15M/30M/50M



- Portable air heater
- Function on propane gas(LPG)
- With over-heating protection
- Special nozzle, with strong oxygen supply make combustion completely
- Cut-off protection avoid gas leaking
- Deflation and ignition operate design
- Ideal for construction sites, utility/farm buildings, sports events, barns and factories
- Regulator & 1.5m hose included



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
YXG-10M	10KW	4.4/3.8	385x240x365	830	1710	2010
YXG-15M	20KW					
YXG-30M	30KW	6.7/5.9	470x280x410	520	1070	1260
YXG-50M	50KW	7.4/6.5	530x280x410	470	970	1140



### LQ-FP96S

- 2 heating power settings:1000/2000W
- Adjustable thermostat
- Overheating protection
- Power indicator light
- Tip-over switch
- LED display (with touch control panel)
- Remote control
- With timer

Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
LQ-FP96S	1000/2000W	5.5/4.9	378x228x515	620	1300	1500

### YH2301

- 2 heating power settings:1000/2000W
- Adjustable thermostat
- Overheating protection
- Remote control
- LED display
- With timer
- Flame effect adjustable brightness



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
YH2301	1000/2000W	8.2/5.6	1000x180x540	280	590	680

### YH2202R

- 2 heating power settings:1000/2000W
- Adjustable thermostat
- Overheating protection
- Remote control
- Adjustable LED color
- Flame effect adjustable brightness



Model	Power	G.W./N.W.(kg)	Gift box(mm)	PCS/20	PCS/40	PCS/40HQ
YH2202R	1000/2000W	28.0/25.0	365x280x560	130	280	318

### YH-20-1B

- 2 heating power settings:1000/2000W
- Adjustable thermostat
- Overheating protection
- Flame effect adjustable brightness

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
10.5/9.0	460x355x670	/	255/530/600



### LQ-FP90B/C

- 2 heating power settings:900/1800W
- Adjustable thermostat
- Overheating protection
- Tip-over switch

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
3.5/3.0	395x255x440	/	650/1340/1550



### MK-6

- 2 heating power settings:1000/2000W
- Adjustable thermostat
- Overheating protection
- Tip-over switch

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
5.0/4.0	405x260x460	/	448/928/1160



### NDY-16E(R)

- 2 heating power settings:1000/2000W
- Adjustable thermostat
- Overheating protection
- Only for NDY-16ER
- With week timer
- Remote control
- LED display

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
/	775x297x785	/	171/360/405



### EF851/EF851K

- 2 heating power settings:1000/2000W
- Adjustable thermostat
- Overheating protection
- LED display (with touch control panel)
- Flame effect adjustable brightness
- Adjustable LED color (only for EF851K)
- Remote control
- With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
11.9/10.8	155x455x119	/	500/1050/1200



### EF820/EF820K

- 2 heating power settings:1000/2000W
- Adjustable thermostat
- Overheating protection
- LED display (with touch control panel)
- Flame effect adjustable brightness
- Adjustable LED color (only for EF820K)
- Remote control
- With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
14.7/13.6	970x545x170	/	316/668/764



### EF831/EF831K

- 2 heating power settings:1000/2000W
- Adjustable thermostat
- Overheating protection
- LED display (with touch control panel)
- Flame effect adjustable brightness
- Adjustable LED color (only for EF831K)
- Remote control
- With timer

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
16.2/15.0	955x545x190	/	288/592/688



### DE118A

- 2 heating power settings:750/1500W
- Adjustable thermostat
- Overheating protection
- LED display
- With week timer
- Remote control
- Flame effect adjustable brightness

G.W./N.W.(kg)	Gift box(mm)	Export carton(mm)	PCS/20/40/40HQ
8.6/7.8	515x210x452	/	625/1265/1369



FIREPLACE HEATER



<https://www.nbclimate.com/>

## **Ningbo Climate Electric Appliance Co.,Ltd**

**Head Office:** Room <18-1>, 18th Floor, Jinshuai Mansion, Cixi City, Ningbo, China

Tel: +86-574-63032661

MOB: +86-18657487272

E-mail: Albert.Chen@nbclimate.com

P.C.: 315300